



CQHm

ORIGINAL PRODUCT CATALOG 2026

Our Vision

**CQ OHM aims to create products that make people say,
“This would be interesting to have!”**

**We strive to be a Fun Company where creativity and curiosity
drive every new idea.**

History of CQ OHM

CQ OHM began in 1981 when my parents opened a small electronic parts shop called “CQ Ohm House Ohm”, back when I was still in the 5th grade.

In 1999, we launched our online store as

“CQ Ohm, the Amateur Radio Specialty Shop of the Gutsy Mother.”

We were officially incorporated in 2012.

Our Products

Responding to the idea, “Wouldn’t it be interesting if this existed?”, we create both original items and collaboration products with manufacturers.

Our product lineup covers a wide range, including:

- LCD screen protectors
- Color variations for transceivers and receivers
- Mobile antennas
- Home antennas
- Telegraph keys
- Cigarette lighter power cables
- USB cables
- Mobile batteries
- Fishing-rod antennas
- ...and many other unique and fun items

We continue to develop innovative and interesting products every day.

Management Philosophy

We boldly take on challenges that other companies avoid.

Our ideal is to build an organization where everyone thinks.

CQ OHM is a member of the

Gifu Prefectural Association of Small and Medium-sized Enterprises,

and we study the management philosophy of the late Akio Yamada,
former president of Mirai Industry Co., Ltd.

Partnerships & Opportunities

We are always looking for talented individuals and business partners.

We welcome collaborations with companies from different industries and distant regions.

We also import products from overseas, and we may visit your area for event sales.

Please feel free to contact us at any time.

President and CEO
Sota Kojima
CQ OHM Co., Ltd.




Table of Contents

Original Product Production Secrets Vol. 3 – CW-T1	4
CQ OHM New Products	5
CQ OHM Original Products / Limited edition color seats for 2026	9
Nagara Electronics Collaboration	10
Nagara Electronics / Natec Collaboration	11
Antenna Collaboration Products	12
Fishing Rod Antenna	14
Radial Wires	15
MAV Series	16
ALINCO Collaboration / CAT-300 Limited	18
Comet Collaboration / d-ROD-100 / Baby☆Bazooka	19
Original Cable Series	20
Relay Cables	21
GHD Key Collaboration	22
Callsign Plate	24
One-Touch Power Socket Series	26
IC-705 Related Products – OHM-DRAGON-FIN	27
IC-705 Related Products	28
FT-817 / FT-818 Related Products	30
OHM-X-SHIELD / CAA-500Mark II /Revised	31
Mobile Battery for Portable Operation	32
JESVERTY	33
USB Connect Cables	34
PD Cables	36
Cigar Power Products	37
Mic Speakers	38
Lezact Collaboration	40
Leather Products	41
GPS Unit / QSL Cards	42
Original Products	43
LCD Screen Protector / Color Sheet	44
Original Goods	47

CW-T1 [OR-920]

Retail Price 3,025 Yen

Member prices available!



How to Use the QR Code

If you scan the QR code next to the product page with your smartphone, you will be taken to the product page on our company website where you can view the product information.



CW-T1

The Story Behind a Hit Product

How the Toy Paddle Was Born

Many people are interested in using a paddle but hesitate to try one. We wanted to create an entry level paddle that was extremely affordable and easy for beginners to start with. This idea led to the creation of the CW-T1. The CW-T1 is made using 3D printing technology, which is one of the areas CQ OHM focuses on the most today. However, reaching the paddle we originally imagined was a long and difficult journey.



Chasing the Ideal Paddle

The first prototype produced by the 3D printer had no “keying feel,” which is the heart of any paddle. It was simply a block of plastic. From there, we repeatedly changed the shape and parts, testing again and again to achieve the ideal keying response.

Another major challenge was the “thermal shrinkage” that is unique to 3D printing. Even small changes in season or weather affected the final result. It became clear that the idea of “just pressing a button to complete the print” was a big misunderstanding.

We created and refined the 3D model many times, and finally reached the shape we have today.

Even now, our staff prints each unit themselves, and our technical team carefully adjusts and inspects every paddle by hand before assembly.



CW-T1 Spreads Worldwide

Originally, the CW-T1 was produced as a non commercial bonus item for the FTX-1 Series and IC-7300MK2 Series. However, the response was so strong that we decided to release it as a regular product.

Right after sales began, the paddle sold out repeatedly and became the biggest hit of the season.

In spring 2026, we started overseas distribution. Today, amateur radio operators around the world enjoy CQ OHM’ s CW T1.



An American amateur radio YouTuber, Mr. Thomas Witherspoon, also introduced our CW keys in his content.

We plan to continue offering more color variations and shape updates, bringing even more choices to our customers.

Product listed on page 5P

New Products

CW-T1 [OR-920]

Retail Price 3,025 Yen

Member prices available!



First model in the Toy Paddle Series
Developed by CQ OHM, using experience
from past GHD collaborations
Very popular from the start; recommended
for beginners.

Specifications

- Material : ABS
- Base Size : W57×D30×H25 (mm)

Optional Accessories

- CW-TBM1
- EKUREA/CarbonStyle
- Slim 3.5mm mini plug cable
- 3.5mm → 6.3mm adapter
- "Ohm kun" case (see p.43)



CW-S1 **Coming Soon !**

Second model in the Toy Paddle Series.
Straight key with improved keying feel.
Scheduled release information as of July 2026.



Magnetic Base

CW-TBM1 [OR-939]

Retail Price 2,130 Yen


Member prices available!



Strong magnet for stable operation.
Allows secure mounting on desks or metal surface.

Specifications

- Material : ABS + Magnet
- Size : W56×D51×H14.5 (mm)
- Weight : 23g



Toy paddle series, options are listed on page 23.

CW T1 Gacha ☒ Event Exclusive Colors

Available only at fair venues. Six random colors.



Specifications

- Material : ABS
- Base Size : W57×D30×H25 (mm)

Optional Accessories

- CW-TBM1
- EKUREA/CarbonStyle
- Slim 3.5mm mini plug cable
- 3.5mm → 6.3mm adapter
- "Ohm kun" case (see p.43)

Notes

Colors are random

No returns or exchanges for duplicate colors

Slight color variations may occur

A special set that adds mounting parts for Optima 50DX to the OHM X SHIELD.
This allows the shield to be installed on FTX series radios.

OHM-Optima-SHIELD

Collar : BLACK[OR-892] / ORANGE[OR-893]

Retail Price 19,118 Yen **Member prices available!**

【Compatible with】FTX-1 optima-50/DX
IC-7300/IC-9700/FT-991/FTDX10/FT-710



A parts kit that converts an existing OHM X SHIELD to support
FTX-1 and optima 50/DX

Optima-X-PARTS

Collar : BLACK[OR-894] / ORANGE[OR-895]

Retail Price 2,662 Yen **Member prices available!**

【Compatible with】OHM-X-SHIELD



OHM-X-SHIELD is described on page 31.

A lightweight shield designed specifically for the FTX 1 Field.
Also compatible when using Optima 50DX.

OHM-FF-SHIELD (LITE) [OR-908]

Average Rating 4.00 / 1 reviews

Retail Price 11,979 Yen **Member prices available!**

【Compatible with】
FTX-1 Field/optima-50 DX.



Specifications

■Size

- With foot stand : W240 × H115 × D140 (mm)
note : When installed and assembled, the height is 130mm.
- With out foot stand : W240 × H100 × D140 (mm)

■Weight : 159g

■Material : ABS filament

Included

- Main unit (assembled) × 1
- FTX 1 Field mounting screw × 1
- Foot stands × 2
- Instruction manual
- Stand screws(2.6×8 mm) × 8

■Notes■

- ABS is sensitive to strong impact and heat
- Handle with care to avoid damage
- Insert at an angle when mounting
- Fully assembled except for foot installation

Heavy duty steel case for storing IC 705 and AH 705.

OHM-METALCASE-705 [OR-946]

Retail Price 55,055 Yen **Member prices available!**

Specifications

■Size : W260 × H110 × D280 (mm) (Minimum dimensions of the main unit only)

■Weight : approx. 2.0kg

■Total Weigh : approx. 3.8kg(Including IC-705 and AH-705)

■Material : Steel, black coating

Included

- 30 cm BNC BNC coax cable (L type)
- Total Weight (with radios) : approx. 3.8kg
- M4 screws (for IC-705 mounting)



Please see page 28 for details.

A dedicated case for the CAA-500mark II, which was highly requested, is now available with a completely redesigned look!

CAA-CARRYCASE-II [OR-918]

Average Rating 5.00/3 reviews

Retail Price 4,659 Yen **Member prices available!**



Specifications

■Size : W107 × H195 × D75 (mm)

Notes : Excluding protruding parts.

Depth is measured from the length of the screen portion.

■Weight : approx. 86g

Note : The final product will be different due to the weight of the version with eyelets.

Manufacturer's original / Our previous version	Our new version.
Velcro method	Zipper type
No protection for the lower half	Full protection available
No holes for power terminals	Includes a hole for the power terminal.
With cover	Eliminate the cover for a sleeker look.
Hanging strap included	Hanging belt sold separately

CCC-BELT [OR-919]

Average Rating 4.00/1 reviews

Retail Price 1,198 Yen

Member prices available!

Belt for the CAA CARRYCASE II.



Specifications

■Shortest length : Approx. 68cm (including hook)

■Longest length : Approx. 124cm (including hook)

■Belt width : Approx. 2cm (excluding protruding metal fittings)

■Weight : Approx. 43g

Antenna wires are now available in different lengths! Choose the one that suits your needs!

OHM-AWI-08 [OR-936]

Retail Price 2,130 Yen **Member prices available!**

Antenna wire 8m set (with insulators)

Note : In use with tuners from various manufacturers.

【Compatible with】 AH-730/AH-705/FC-90/FC-40(*)

*Length adjustment may be necessary.



Specifications

■ Cable thickness : 1.25 sq

■ Maximum input power : 150W

■ Material : Terminal R2-6, terminal protective cap

■ Includes 1 corrugated insulator



OHM-AWI-16 [OR-937]

Retail Price 3,812 Yen **Member prices available!**

Antenna wire 16m set (with insulators)

Note : In use with tuners from various manufacturers.

【Compatible with】 AH-730/AH-705/FC-90/FC-40(*)

*Length adjustment may be necessary.



OHM-AWI-25 [OR-938]

Retail Price 5,687 Yen **Member prices available!**

Antenna wire 25m set (with insulators)

Note : In use with tuners from various manufacturers.

【Compatible with】 AH-730/AH-705/FC-90/FC-40(*)

*Length adjustment may be necessary.



OHM-AWI-08

Product name	length	weight (Including insulators)
OHM-AWI-08	8m	200g
OHM-AWI-16	16m	350g
OHM-AWI-25	25m	530g

R3-1860BS [OR-904]

Average Rating 4.50 / 2 reviews

Retail Price 3,993 Yen

Member prices available!

Wideband receiving rod antenna with two stage folding mechanism.
Includes BNCP connector and SMA BNC adapter.
Ideal for IC R15 and DJ-X100.



PUZZLE-BASE/SMA [OR-891]

Retail Price 500 Yen

Specifications

- Size : 3×3 (cm) (Remove the raised and recessed parts of the puzzle.)
- Material : ABS

【Notes】

- For SMA handheld antennas only
- Do not use heavy antennas
- Mounting screw is delicate
- Remove slowly and straight



DR-PM300SEFL/BLACK-PKG [ORS-896]

Retail Price 83,050 Yen

Set including DR PM300SFLL and PM300 / BLACK KIT.

Allows mounting on standard vehicle bases.

We also offer attachments separately for those who already own the DR-PM300SE series.

While it can be attached to various vehicle mounting bases,
please note that it does not have sufficient strength to withstand driving in that position.




PM300/BLACK-KIT [OR-897]

Retail Price 5,324 Yen

Member prices available!

【Compatible with】 DR-PM300SE / DR-PM300SEFL

While it can be attached to various vehicle mounting bases,
please note that it does not have sufficient strength to withstand
driving in that position.



OHM-CPFTX-1 [OR-907]

Average Rating 3.50 / 2 reviews

Retail Price 4,259 Yen

Member prices available!

Cigarette socket power cable for FTX 1.

Supports 10 W operation from 12 V car socket.

Uses a special 4 contact socket for secure connection.

Length : approx.1m



HDMI (female) → DVI D (male) adapter.

OHM-YC-1051 [OR-945]


Average Rating 5.00 / 1 reviews

Retail Price 1,997 Yen

Member prices available!

【Compatible with】 FTDX101/FTDX10/FT-710

You can use HDMI monitors such as the RT1051 with
DVI-D compatible devices such as the FTDX101.



Dedicated Protective Sheet for the RT1051 Portable LCD
(Perfect Fit for IC-7300MK2)

SPF-RT1051 [OR-940]

Retail Price 2,662 Yen

Member prices available!



2026 Limited Color Sheets ☒ Obsidian Series

Gradient designs inspired by obsidian stone. Available for multiple radio models.

ID-52

CS-ID52-OB
Obsidian Blue



CS-ID52-OB
Obsidian Red



ID-50

CS-ID50-OB
Obsidian Blue



CS-ID50-OB
Obsidian Red



IC-R15

CS-ICR15-OB
Obsidian Blue



CS-ICR15-OB
Obsidian Red



TH-D75

CS-THD75-OB
Obsidian Blue



CS-THD75-OB
Obsidian Red



DJ-X100

CS-DJX100-OB
Obsidian Blue



CS-DJX100-OB
Obsidian Red



DJ-DPS70 series

CS-DPS7X-OB
Obsidian Blue



CS-DPS7X-OB
Obsidian Red



Nagara Electronics Collaboration

We introduce collaboration products with Nagara Electronics, which has a solid reputation for large antennas! A variety of products are available, from ATE to Yagi antennas. Optimal options are also introduced!

Antenna Element with Trap Coil Introduced!

OHM-5501RV/W/ with Radials



Average Rating 5.00 / 5 reviews [OR-832]

Retail Price 43,480 Yen **Member prices available!**

OHM-5501RV/W/without Radials



Average Rating 4.63 / 8 reviews [OR-816]

Retail Price 40,480 Yen **Member prices available!**

Specifications

- Element Length : 5.2m (Antenna element only)
- Weight : 1.8kg (Antenna element main body)
- Wind Load Area : 0.12m²
- Power Rating : 300W (SSB/CW), 100W (FT8).

The power rating may decrease further depending on the operating conditions.

- Element Diameter : Top : 9.53mm φ, Bottom : 22.22mm φ
- Suitable Mast Diameter : 38 to 61mm φ
- With Radial Cable (Included Model Only) : VSF single-core vinyl insulated cord 1.25mm², 5m × 5 pieces
- Connector for Direct Feed : MJ
- Feed Line (Lead) : 3.5SQ, Length : 1m

Features①

The latest model compatible with both styles.
Use “with tuner” mode for wider coverage, or “without tuner” mode for sharper tuning.
The “with tuner” setup is ideal for beginners, while “without tuner” suits more experienced users.

Features②

External Tuner "with": MODE - 3.5 - 50MHz full coverage.
Performance at 3.5MHz depends on installation, how the radials are spread, and the tuner's performance.

Features③

External Tuner “without” mode: 7 / 14 / 21 / 28 MHz bands can be connected directly via the M-type connector.
The antenna requires no adjustment on its own — only fine-tuning of the 5m × 5 radials is needed.

Features④

This RV/W antenna is based on Nagara Electronics' GP and is a completely new concept.



Antenna Element Comparison Table (Nagara Electronics & Daiichi Diamond)

Item	6501 ATE	5501 RV/W	Daiichi Diamond CPATU	Comment
Portable Operation	▲	◎	○	Considering repeated setup and teardown for portable operation, the 5501 is the most user-friendly overall.
Ease of Setup	▲	○	◎	The CPATU is compact and easy to deploy. The 6501 and 5501 are slightly heavier.
Simplicity of Structure	◎	○	○	The 6501 is composed only of aluminum rods, resulting in fewer electrical issues.
Tuner Dependency	▲	◎	○	The 5501 can be used without an external tuner, and in some cases, the transceiver's built-in tuner is not needed.
Operating Band	◎	○	◎	The CPATU is compact yet has a wide band. The 6501 allows for adjustments, such as attaching a Capacitance Hat.
Compact/Lightweight	▲	○	◎	The CPATU is the most compact and lightweight.
Price	◎	○	▲	The price of the 6501 is attractive. The 5501 is also a good value considering its mechanism.

Antenna element for outdoor automatic antenna tuner

The OHM-6501ATE has evolved into the OHM-6501ATE/PRO!

OHM-6501ATE/PRO

Average Rating 5.00/ 1 reviews

[OR-881]

Retail Price 22,385 Yen **Member prices available!**



Specifications

- Compatible Pipe Diameter : 28 – 32 mm ϕ
- Maximum Wind Speed Resistance : 30m/s (Momentary Maximum Wind Speed)
- Total Length : Approx. 6.50m (Maximum), Approx. 1.20m (Minimum)
- Weight: Element Section : Approx. 1.36kg,
Mounting Bracket Section : 0.47kg
- Horizontal / Vertical Installation Permitted

The mounting bracket design on the PRO model has been updated. With the previous version, you had to support the unit's full weight while aligning it horizontally with two screw holes; with the PRO, however, you can simply hook it onto the upper hole eliminating the need to bear the weight—and then secure it with screws from the other side. Installation is now a breeze!

- Features①** Lightweight. The quality of the material and construction is evident when you hold it. It has an excellent balance of weight and strength for easy portability.
- Features②** Built to last. Made from thick aluminum with high-precision machining for long-term durability.
- Features③** Prevents the bottom section from slipping out.
- Features④** Easy to use with stepped elements for optimal length in each band and easy retraction, and large wing nuts.
- Features⑤** Its strength allows for horizontal use. It can be shortened for balcony operation or used fully extended for portable operation a variety of uses.
- Features⑥** Convenient for balcony installation with an insulated mounting bracket with a U-bolt.
- Features⑦** The tip of the top element has a hole for wire.
- Features⑧** With a minimum length of approx. 1.20 m, horizontal placement in a car trunk is possible.

OHM-PROKIT-6501

[OR-883]



Retail Price 2,420 Yen

Member prices available!

For current owners of the OHM-6501ATE/4301ATE

【Compatible with】

OHM-6501ATE/OHM-4301ATE



C-HAT01

[OR-550]

Average Rating 4.14 / 7 reviews

Retail Price 2,396 Yen

Member prices available!

Capacitance hat for the OHM-6501ATE/4301ATE. It can lengthen the electrical length and change the radiation angle.

Optimal when you need a little more length for the 6501/4301!



Mast Converter

OHM-MC-3860

Retail Price 5,456 Yen

[OR-880]



Enables mounting of antenna elements (ϕ 25–32 mm) onto masts (ϕ 38–60 mm).

【Compatible with】 OHM-6501ATE/OHM-4301ATE Series



CQ Ohm × Natec Collaboration

OHM-5001ATE-R

[OR-426]

Average Rating 4.14/ 7reviews

Retail Price 27,644 Yen **Member prices available!**



A CQ Ohm original ATU element specialized for portable operation!

Total length 5m / 69cm when retracted / Uses a 9-section rod!

Optimal for the AH-705! Supported Frequency: 3.5MHz to 50MHz

Specifications

- Frequency : Depends on the tuner connected
- Total Length (Element fully extended) : Approx. 5,000mm (Maximum)
- Total Length (Element retracted) : Approx. 690mm
- Weight : Approx. 775g (Including mounting bracket)
- Compatible Mast Diameter : ϕ 31 to 45mm
(Aluminum spacers are not used for ϕ 42 to 45mm)

Performance is dependent on the antenna tuner.

We cannot guarantee operation at 3.5 MHz.

If you wish to use 3.5 MHz, we recommend using a Capacitance Hat.



OHM-2243VB/B [OR-798]



Average Rating 4.83 / 12 reviews

Retail Price 20,790 Yen **Member prices available!**

A rear-mount version of the highly requested 2243VB is now available!
Lighter than the conventional 2243VB.

Specifications

- Type : Yagi Antenna 144MHz 2-element, 430MHz 3-element
- Gain : 144MHz 5.9dBi, 433MHz 7.7dBi
- Connector : MJ

Features①

A compact 144 / 430 MHz Dual Yagi Antenna. It is even lighter and more compact than the OHM-2243VB, making it easier to install on balconies and other locations.

Features②

The elimination of the protruding boom makes it easy to carry for portable operation, which is highly recommended.

Features③

It achieves a gain of 5.9dBi (144MHz) / 7.7dBi (433MHz) while being compact and lightweight.

Features④

Recommended for apartment dwellers! When the building is behind it, it can cover a wider area than a non-directional GP (Ground Plane) antenna.

Features⑤

Recommended for D-STAR, WIRES-X, and other digital communications. It reduces demodulation errors caused by signal reflections and phase distortion, which are common in GP antennas even when signal strength is high.

Features⑥

It operates as a 144MHz 2-element and 433MHz 3-element to cover a wide area, eliminating the need for a rotator.

Features⑦

Direct mast mounting reduces installation space and wind load, making the antenna less conspicuous.
Note: For users who require elevation angle adjustment, please choose the OHM-2243VB.

Features⑧

As it is made by Nagara Electronics, which has a solid reputation for large antennas, it features a reliable mounting bracket mechanism and highly durable resin parts, resulting in extremely few deterioration problems.



OHM-2243VB [OR-149]



Average Rating 4.81 / 6 reviews

Retail Price 20,790 Yen **Member prices available!**

A compact 144/430MHz Dual Yagi. Unlike a GP, it does not interfere with upper floors. Recommended for D-STAR, WIRES-X, and digital communications! It inherently reduces problems where signals cannot be demodulated despite strong signal strength due to reflection composition and phase distortion of GP antennas.

Specifications

- Type : Yagi Antenna, 144MHz 2-element, 430MHz 3-element
- Gain : 144MHz 5.9dBi / 430MHz 7.7dBi
- Maximum Element Length : 1.07m
- Turning Radius : 0.7m
- Connector : MJ
- Wind Load Area : 0.07m²
- Weight : 1.2kg
- Maximum Input Power : 500W SSB (Transmitter Mode)
- Suitable Mast Diameter : 32 to 61mm ϕ



OHM-1200VB12 [OR-283]

Average Rating 4.67 / 3 reviews

Retail Price 25,058 Yen **Member prices available!**

A 1200MHz 12-element Yagi antenna is now available!

Solid and durable construction ensures reliability for long-term fixed installations. While designed for balcony operation, it delivers stable performance on rooftops, for portable use, and in any other location.

Specifications

- Gain : 14.1dBi
- F/B Ratio : 15.0dB or more
- VSWR (Standing Wave Ratio) : 1.5 or less
- Maximum Element Length : 163mm
- Boom Length : 0.82m
- Turning Radius : 0.92m
- Weight : 930g
- Suitable Mast Diameter : 32 - 50mm ϕ (38mm ϕ or more recommended)
- Connector : NJ
- Impedance : 50 Ω
- Power Rating : 100W (FM)



OHM-100TW^[OR-181]

Average Rating 5.00 / 6 reviews

Retail Price 27,702 Yen

Member prices available!

Square / Lightweight / Compact / Durable.

A hugely popular mini tower for portable use and balconies.

Easily fits into a car trunk.

A rotator can be used for portable operation.

Space-saving design allows efficient use of balcony space.

Specifications

■Size : W323 × D323 × H1000 (mm)

■Maximum Mast Diameter:

Up to 63mm can be used.

■Weight : 5.3kg

Note : C63 standard pipe cannot be used.

Type

■OHM-100TW [A](Normal)

■OHM-100TW [B] 30,414 Yen

(Top plate plus a total of 3 plates)

■Assembled model available
(requires additional delivery time)

Options

• Additional Plate & Screw Set

• 4-piece Stay Bracket Set



[A]

OHM-150TW^[OR-759]

Average Rating 5.00 / 2 reviews

Retail Price 40,817 Yen

Member prices available!

Square / Lightweight / Compact / Durable.

Developed in response to customer requests for a taller model and better use of space below the tower, the new 1.5m type is now available.

Specifications

■Size : W323 × D323 × H1492 (mm)

■Maximum Mast : 63mm

■Weight : Type A : 7.4kg

■Weight : Type B : 8.4kg

Note : C63 standard pipe cannot be used.

Type

■OHM-150TW [A](Normal - 2 plates)

■OHM-150TW [B] 43,701 Yen
(Top plate plus a total of 3 plates)

Options

• Additional Plate & Screw Set

• 4-piece Stay Bracket Set



[A]

OHM-2900MP^[OR-204]

Average Rating 4.83 / 6 reviews

Retail Price 36,300 Yen

Member prices available!

A new concept ☒ easy antenna setup with a single tension-rod multipole.

Strong and secure design, ideal for balconies with wall-type railings or for users who wish to avoid damage to balcony surfaces.

Compatible with OHM-2243VB, OHM-6501ATE, GP, and Yagi antennas.

Adjustable to fit balcony heights from 2.2m to 2.9m.

Specifications

■Pipe Material : Aluminum (A6063T8)

■Bolt Diameter : 12mm

■Pipe Wall Thickness : Approx. 3.05mm

Note

- Please check the strength of the ceiling before use.
- Please ensure children do not climb on it.
- For safety, please take fall prevention measures such as tying it with a rope to prevent accidental falls.
- Periodically check that the bolts and screws are not loose.



6501-BAG-L^[OR-706]

Average Rating 5.00 / 2 reviews

Retail Price 9,680 Yen

It's slightly larger than the 6501-BAG! A versatile bag with a width of approx. 170 cm that perfectly fits the 6501, 2243, and various telescoping poles 《CP-45, CP-60L, AM-450, AM-600》!

Specifications

■Size : W1700 × D150 × H150 (mm) (±3%)

- Handles are the perfect length for carrying over the shoulder. Asymmetrical design makes it easy to carry on the shoulder.
- Internal pocket with zipper prevents loss of small items.
- Made of durable and washable material.



The Speed Pin evolves and arrives!

SpeedPin-EVO^[OR-878]

Retail Price 3,594 Yen **Member prices available!**

Set : 5-piece Speed Pin Set for OHM-6501 / OHM-4301ATE / 5501.

Optimized only for ultra-fast setup and ultra-fast teardown.

Pins are used instead of wing nuts.

Note: For vertical or portable use only. For long-term permanent installation, the use of wing nuts or similar fasteners is still recommended.

Feature①

Adopts a newly developed ball-lock mechanism, making it harder to slip out.

Feature②

Antenna elements can now be set up by raising them from a horizontal position.

Feature③

A completely original, dedicated design created through custom processing.

Feature④

As with the conventional product, setup and teardown are overwhelmingly fast without the need for wing nuts. Ideal for portable and temporary operation.



Carbon Rod Antenna Element OHM-BCR-X-ADVANCE-SET

Average Rating 4.67 / 12 reviews

[ORS-800]



Retail Price 12,979 Yen **Member prices available!**

Includes Mounting Bracket Set (Quick Mount × 2 pieces included)



Specifications

- Usable Frequency Band: 1.8MHz to 50MHz band
(Of this frequency band, the frequency band supported by the automatic antenna tuner being used is available.)
- Total Length: Approx. 6.08m
- Weight: Approx. 275g (excluding the top plug)
- Tip Diameter: Approx. 1.5mm
- Storage Dimension: 0.8m
- Feed Line Length: 1.5m (with alligator clip)

Optional (Sold Separately)

- OHM-CGW55M (Mini Lug Type)

- Features①** Selected carbon sheet (material) that operates efficiently as an antenna element.
- Features②** All sections are unpainted and can be fed from the bottom, allowing the entire length to be used as an antenna element.
- Features③** Designed to minimize bending at the tip, making it easier to use in locations affected by wind.
- Features④** Top and bottom caps are made of metal, improving durability and maintainability.
- Features⑤** Groove processing is applied to each joint to create an air layer that prevents sticking. This design helps reduce problems when retracting the antenna.
- Features⑥** The top cap has the "Ohm-kun" character, and the bag has the CQ Ohm logo.

OHM-BCR-X-ADVANCE

Average Rating 5.00 / 12 reviews

[OR-800]



Retail Price 9,252 Yen **Member prices available!**

Carbon rod only (with lead wire)

OHM-BCR-X-SET [ORS-736]

Average Rating 4.88 / 26 reviews

Retail Price 11,979 Yen **Member prices available!**

Black Carbon Rod + Mounting Bracket Set
(Fishing Rod Direct Feed Antenna Element and Quick Mount × 2 Set)

Optional (Sold Separately)

- OHM-CGW55M (Mini Lug Type)

■ Features ■

The Fishing Rod Antenna is a direct-feed carbon rod antenna element. A solid, all-black carbon rod has been specially manufactured for an elegant and distinctive appearance. The material provides both verified strength and proven antenna performance. Comes with a lead wire for immediate use. With a total length of 6.7m, it delivers excellent transmission and reception performance. When connected to a tuner, it can be operated on various bands. When retracted, it measures only 70cm and weighs just 300g, offering outstanding portability.

【Precautions When Using the Carbon Rod Antenna】

- Radials must be prepared separately (e.g., OHM-CGW55M).
- Carbon rod antennas must be used in conjunction with an antenna tuner (automatic/manual).
- Carbon rod antennas have a higher possibility of breaking or chipping compared to metal antennas. Please be careful.
- The carbon material poses a risk of electric shock if it comes into contact with conductors, such as power lines. Please strive for safe installation and use, taking the surrounding environment into consideration.



OHM-BCR-X [OR-736]

Average Rating 4.00 / 5 reviews

Retail Price 8,252 Yen

Member prices available!

Black Carbon rod only (with lead wire)

Specifications

- Total Length : 6.7m
- Retracted (Storage) Dimension : 70cm
- Weight : Approx. 300g
- Feed Line Length : 1.5m (with alligator clip)



OHM-QUICK-MOUNT-W [OR-737]

Average Rating 4.89 / 9 reviews

Retail Price 4,259 Yen **Member prices available!**

Quick Mounting Bracket Set for BCR-X
Optimal for securing the Carbon Rod Antenna Element



A lightweight LITE version of the hugely popular radial is now available!
Weight is half that of the conventional model!

Mobile Antenna Radial Cable Set

OHM-CGW55A-LITE

[OR-818]



Average Rating 4.80 / 10 reviews

Retail Price 4,792 Yen

Member prices available!

Easily installs on M-type connectors.

Specifications

- Included : 0.5mm wire, approx. 5m × 5 pieces, with #16 crimp terminals.
(The ends of the wires have been waterproofed.)
- Usable Frequency Band : 3.5 to 50MHz
- Weight : Approx. 230g

Note : Please view the instruction manual on the web.



Radial Cable Set for ATU

OHM-CGW55M-LITE

[OR-817]



Average Rating 4.67 / 6 reviews

Retail Price 4,792 Yen

Member prices available!

Can be connected directly to the GND terminal of AH-730, FC-40, AH-705, etc.

Specifications

- Included : 0.5mm wire, approx. 5m × 5 pieces, with #5 crimp terminals.
(The ends of the wires have been waterproofed.)
- Usable Frequency Band : 3.5 to 50MHz
- Weight : Approx. 230g

Note : Please view the instruction manual on the web.



OHM-CGW55A

[OR-080]



Average Rating 4.82 / 109 reviews

Retail Price 4,620 Yen

Member prices available!

Radial Cable Set for Home Use

Specifications

- Included: 1.25mm wire, approx. 5m × 5 pieces, with #16 crimp terminals.
(The ends of the wires have been waterproofed.)
- Usable Frequency Band: 3.5 to 50MHz
- Power Rating: Please use the antenna within the limits of 300W (SSB) or less and within the antenna's acceptable range.
- Weight: Approx. 500g



OHM-CGW55M

[OR-080M]



Average Rating 4.76 / 55 reviews

Retail Price 4,620 Yen

Member prices available!

Radial Cable Set for Home Use 【Mini Lug Type】

For connecting to AH-4 / FC-40 / AH-705 / AH-730

Specifications

- Included: 1.25mm wire, approx. 5m × 5 pieces, with #6 crimp terminals.
(The ends of the wires have been waterproofed.)
- Usable Frequency Band: 3.5 to 50MHz
- Power Rating: Please use the antenna within the limits of 300W (SSB) or less and within the antenna's acceptable range.
- Weight: Approx. 500g



※Those manufactured before May of the 25th year are made with 8 φ crimp terminals.

Special Edition of the CQ Ohm Radial Cable Set for Home Use

OHM-CGW56SP

[OR-606]



Average Rating 4.60 / 20 reviews

Retail Price 4,720 Yen


Member prices available!

Includes: 16 φ crimp terminals + 1.25mm wire (approx. 5m × 6 pieces)
The tips of the wires have been waterproofed.



Ground Cable for In-Vehicle Use 3.5 φ 1m/2m/3m

Member prices available!



A supplemental ground cable set for in-vehicle use is now available.

To make it as inconspicuous as possible, a 3.5mm φ black cable is used.

One end is fitted with a 16mm lug terminal, while a 9mm lug terminal is included for the other end.

The cable can be cut to the required length and crimped as needed.

It can also be used as is, without attaching the terminal.



MAV-2WP/UG · MAV-2WP/QC

A Big Hit! A New Version Joins the MAV Series
— Now 30% Lighter with a Polycarbonate Body.

MAV-2WP/UG [OR-738]

Average Rating 4.80 / 5 reviews

Retail Price 18,089 Yen **Member prices available!**



MAV-G2 Included — U-Bolt Type

The UG Type V-Dipole Base, designed to repurpose mobile antennas, now comes standard with the MAV-G2 U-shaped bracket.

Despite its light weight, it provides a more secure and stable installation than previous models.

Specifications

- V-Dipole Base : Polycarbonate
- Antenna Mounting Angle : 4 types of variable angles: 90° / 130° / 180° / L-shape (1 unit)
- Wideband Balun : 50Ω, 1 : 1, 3 to 75MHz (500W PEP)
- Waterproof Caps : 2 pieces
- L-shaped Bracket (with connector installed for the base) and Balun Connection Cable : 1 set (Connected and waterproofed)
- Suitable Mast Diameter : 25 to 65mm φ
- U-Bolts / MAV-G2 (U-shaped brackets) : 2 sets each
- Weight : Approx. 590g (excluding antenna)



MAV-2WP/QC [OR-739]

Average Rating 3.50 / 2 reviews

Retail Price 18,089 Yen **Member prices available!**



Quick Clamp Type

V-Dipole Base that repurposes Mobile Antennas

Optimal for portable operation with speedy setup and teardown.

Specifications

- V-Dipole Base : Polycarbonate
- Antenna Mounting Angle : 4 types of variable angles: 90° / 130° / 180° / L-shape (1 unit)
- Wideband Balun : 50Ω, 1 : 1, 3 to 75 MHz (500W PEP)
- Waterproof Caps : 2 pieces
- L-shaped Bracket (with connector installed for the base) and Balun Connection Cable : 1 set (Connected and waterproofed)
- Suitable Mast Diameter : 47mm
- Quick Clamps : 2 sets
- Weight : Approx. 800g (excluding antenna)

Notes on the QC Type (Quick Clamp)

- Caution: Over-tightening the clamp may cause damage to the object being mounted, such as a pole. Please be careful.
- Caution: The ball joint part may still rotate even after being tightened. If the ball joint part cannot secure the antenna properly, please use the bolt.
- There is a possibility that the clamp may detach during strong winds or depending on the installation environment. Please use the antenna with sufficient caution, operating only in locations where the antenna's installation status can be constantly monitored.
- Although the Quick Mount can secure the antenna to various locations, please refrain from securing it to public property.
- Please observe proper etiquette when engaging in portable operation.

What is Polycarbonate?

Polycarbonate is a plastic material made from polycarbonate resin, a type of thermoplastic resin.

It is resistant to ultraviolet (UV) light and can withstand temperatures from -40°C to 125°C, making it an optimal material for outdoor use in applications like roofing and signage.

It also reduces interference with radio waves, improving performance (compared to our previous models).

MAV-2W

MAV-2W [OR-144]

Average Rating 4.80 / 54 reviews

Retail Price 18,089 Yen **Member prices available!**



V-Dipole Antenna Base that repurposes Mobile Antennas

This is the highly requested Angle-Variable / Wide Type.

The angle is variable in 4 stages (left and right).

Can be used at 90°, 130°, 180°, and L-shape.

It can be mounted on a mast with a diameter from 25mm ϕ to 65mm ϕ .

Specifications

- V-Dipole Base: 1 unit with variable antenna mounting angles : 90° / 130° / 180° / L-shape
- Wideband Balun : 1 unit fixed with U-bolts, 50 Ω , 1 : 1, 3 to 75MHz (500W PEP)
- Waterproof Caps : 2 pieces ■ U-Bolts : 2 sets (Allows mounting on masts/handrails from 25 to 65mm ϕ)
- Connector for the Base and Balun Connection Cable : 1 set (Connected and waterproofed)

Optional (Sold Separately)

- MAV-G2



MAV-G2 [OR-359]

Average Rating 4.89 / 9 reviews

Retail Price 1,560 Yen

Member prices available!




Secure Fixation for MAV Series

Set of 2 U-Shaped Brackets (MAV-G2)

Compatible with: MAV1 / MAV2 Series

Note: Included as standard with MAV-2WP/UG.

Not compatible with MAV-2WP/QC.



◆ MAV Q&A

Q1. What kind of antennas can be used with the MAV Series?

The MAV Series operates as a dipole antenna using two HF mobile antennas.

Antennas that achieve tuning by incorporating a matching coil in the feed section may not operate normally.

Operation is not guaranteed for all commercially available mobile antennas.

You can use the following combinations:

- Two monoband antennas (same frequency)
- One monoband and one multiband antenna
- Two multiband antennas (precise adjustment required)

Q2. Which antennas have been verified for compatibility?

- Diamond Antenna Corporation – FX Series / CL Series
- Comet Co., Ltd. – HFB Series / HR Series

Note: Diamond's 18 MHz base-loading HF16FX cannot be used.

Q3. How should I adjust the antenna?

The MAV Series functions as an antenna from the balun lead connection point.

Depending on the antenna used, the elements may be too long, so adjust carefully.

A1. Check the current resonant frequency with an analyzer.

A2. Refer to the change in resonant frequency per unit length in the antenna manual.

A3. Trim the element a few millimeters at a time while monitoring the SWR with the analyzer.

Careful adjustment is especially important when using multiband antennas.

CQ Ohm × ALINCO Collaboration

DJ-X100SP

Average Rating 5.00 / 7 reviews

Retail Price 107,800 Yen **Member prices available!**



A limited-edition collaboration model of the hugely popular DJ-X100 is now available!
Three exclusive versions ☒ available only at CQ Ohm
☒ feature the CQ Ohm Original Opening Screen.

Specifications

- External Dimensions : W58 × D32.5 × H110 (mm) (excluding projections/approx.)
- Weight : Approx. 260 g (including antenna and accessory battery pack EBP-114/3.6V 3120mAh)
- Rating : IP67 equivalent dustproof and waterproof (immersion protection)
- Operating Temperature Range : -20 to +60°C
- Charging Time (Maximum/Approx.) : 5 hours with the included USB cable and adapter, 3.5 hours with the optional rapid charger EDC-325A
- Approximate Operating Time : Approx. 9 hours (provisional value)
- Audio Output (at 10% distortion) : Built-in speaker 400mW (8Ω), External terminal 10mW (32Ω)
- Rated Voltage (DC) : 3.6V Battery / 5V USB / 4.5V Dry Cell Battery Case (3 x AA size)
- Receiving System : Triple Superheterodyne + DSP / FM radio broadcast band uses Direct Conversion

Accessories (Common to 3 types)

- Main Unit
- Li-ion Battery (EBP-114)
- USB Adapter (EDC-328)
- USB Cable (EDS-39)
- Warranty Card
- Antenna (EA-295)
- Short Antenna (OHM-SA-X100)
- Belt Clip [Pre-installed] (EBC-65) with 2 screws
- Instruction Manual



DJ-X100-MGSP

Color: Metal Green [OR-871]

DJ-X100-BRSP

Color: Brown [OR-870]

DJ-X100-CQSP

Color: Black [OR-869]

This is an image

OHM-SA-X100 [OR-872]

Average Rating 4.00 / 1 reviews

Retail Price 4,598 Yen **Member prices available!**



A short-sized antenna (4.8cm) made exclusively for the DJ-X100.
Waterproof performance (waterproof warranty) remains the same even when replacing the initial included antenna. The perfect size for a quick outing.



CAT-300Limited

Average Rating 4.82 / 10 reviews

Retail Price 55,000 yen

Member prices available!



Series

CAT-300 Specifications (Same as Normal CAT-300 Model)

- Dimensions : W250 × D242 × H98 (mm) (including projections)
- Weight : Approx. 2.6kg
- Maximum Pass-Through Power : 300W or less (SSB)
- Frequency Range : 1.8 to 60 MHz
- Bands : 11 Bands
- Power for Illumination : DC 11V to 15V, approx. 250mA
- Input Impedance : 50Ω
- Output Impedance : 10Ω to 600Ω

Features① Knob Change: The operating knobs have been modified. The new knobs are larger than the standard version, allowing for more precise adjustment.

Features② Front Panel: Reborn with a matte texture that suppresses reflection, offering a calm and luxurious feel.

Features③ The front text is larger and easier to read.

Features④ Adjustment Chart Sticker included; please apply it to your preferred location.

Features⑤ Anti-Static Sticker applied: Helps prevent malfunction due to static electricity (Note: This does not guarantee complete prevention).

CAT-300Limited/NavyBlue [OR-866]



使用周波数帯	バンド切替スイッチ位置	TR TUNE	X TUNE
1.8MHz	1.8MHz	5.4	4.9
1.9MHz	1.9MHz	4.9	4.1
3.5MHz	3.5MHz	4.2	3.9
3.8MHz	3.8MHz	3.5	3.5
7MHz	7MHz	2.5	2.5
10MHz	10MHz	1.8	1.6
14MHz	14MHz	1.2	1.0
18MHz	18MHz	1.2	1.2
21MHz	21MHz	1.2	1.2
24MHz	24/28MHz	1.5	1.6
28MHz	28/28MHz	1.0	1.2
50MHz	50MHz	1.0	1.2

Before



After



Actual size knob

■ CAT-300Limited/DeepGreen [OR-867]

■ CAT-300Limited/MetalBordeaux [OR-868]

■ CAT-300Limited/PhantomBlack [OR-886] Includes one color adjustment chart sticker

CQ Ohm × Comet Collaboration

AIR-51X [OR-088]

Average Rating 4.70 / 43 reviews

Retail Price 4,730 Yen

Member prices available!



This is the longest and highest-performing SMA-type whip antenna currently available for the air band.

The folding mechanism inevitably weakens with age, so the folding mechanism was eliminated.

As a result, the points of noise entry were reduced, and performance became even more stable.

Specifications

■ Gain : 3.4dBi

■ Frequency : 118 - 135MHz 1/4 λ / 230 - 360MHz 5/8 λ

■ Connector : SMAP

■ Total Length : 0.51m

Note: Receive-only

Sending it will cause corruption.

Digital Low-Power Community Radio

d-ROD-100 [OR-287]

Average Rating 4.86 / 58 reviews

Retail Price 9,428 Yen

Member prices available!



10-Section Rod Antenna for Digital Low-Power Community Radio (IC-DRC1 / DJ-PV1D)

Includes a "Perfect Fit Spacer" optimal for the DRC1.

Please use the antenna when it is fully extended.



【Compatible with】 IC-DRC1/IC-DRC1MK2/DJ-PV1D

Specifications

■ Type : 1/2 λ

■ Frequency : 142.93MHz to 146.99MHz

■ Application : For Handheld Radios

■ Input Impedance : 50Ω

■ Connector : SMAP

■ Weight : Approx. 70g

■ Total Length (Extended) : Approx. 104cm

■ Total Length (Retracted) : Approx. 17.7cm

Baby★Bazooka CQ Ohm Original Portable HF Antenna

Covers 9 bands: 7 / 10 / 14 / 18 / 21 / 24 / 28(29) / 50MHz.

Operates by combining a common rod element with interchangeable coils.

BNC type. Each coil is intentionally designed for a specific band rather than a multiband configuration.

Although minor tuning may be required, the antenna is generally ready for use when fully extended, offering both high performance and simple operation.

OHM-BB9-FULLSET [OR-379]

Average Rating 5.00 / 3 reviews

Retail Price 17,429 Yen Member prices available!

Supplied as a set of eight band-specific coils and a rod element, complete with a special carrying pouch.

We focused on achieving high efficiency in the coil design, and the rod element allows for precise fine-tuning adjustments.

Note: Radials are required for proper operation and can be purchased separately.



Optional (Sold Separately)
• OHM-CGW55A

Specifications

■ Frequency : 7 / 10 / 14 / 18 / 21 / 24 / 28(29) / 50MHz Band

■ Type : 1/4 λ Base Loading (Interchangeable Coil Type)

■ Gain : 2.15dBi

■ Impedance : 50Ω (Unbalanced)

■ Connector : BNCP

■ VSWR : 1.5 or less at the center frequency of each band

■ Power Rating : 50W SSB (J3E)

■ Antenna Type : Single-element or Vertical Type

Size

■ Maximum Element Length : Approx. 1,260mm

■ Minimum Element Length : Approx. 180mm

■ 7MHz Band Coil Length : Approx. 125mm

■ 10MHz to 50MHz Band Coil Length : Approx. 85mm

Weight

■ Rod Element : Approx. 56g

■ 7 MHz Band Coil : Approx. 53g

■ 10 MHz to 50 MHz Band Coil : Approx. 38g

OHM-BBE0 [OR-370]

Average Rating 5.00 / 2 reviews

Retail Price 2,970円 Member prices available!

Common Rod Element / Coils Sold Separately

Operate by combining the common rod element with interchangeable coils. BNC Type / Radials Required

OHM-BB7C [OR-371]

Retail Price 5,570 Yen Member prices available!

OHM-BB10C [OR-372]

Retail Price 2,347 Yen Member prices available!

OHM-BB14C [OR-373]

Retail Price 2,347 Yen Member prices available!

OHM-BB18C [OR-374]

Retail Price 2,347 Yen Member prices available!

OHM-BB21C [OR-375]

Retail Price 2,347 Yen Member prices available!

OHM-BB24C [OR-376]

Retail Price 2,347 Yen Member prices available!

OHM-BB28/29C [OR-377]

Retail Price 2,347 Yen Member prices available!

OHM-BB50C [OR-378]

Retail Price 2,347 Yen Member prices available! 19

Control Cable for AH-730

Recommended for users who find the included 10 m control cable too short for their antenna or transceiver installation.

Operation has been confirmed with the IC-7300 and AH-730, ensuring reliable and confident use.

Specifications

- Cable: TRVVP, 0.75mm² × 4C (Outer Diameter: Approx. 8mm)
- Temperature Rating: -40°C to 105°C
- Both Ends: With Connector and Ground Wire (300mm)

Features① Uses robot cable which is highly resistant to bending.

Features② Noise shielding effectiveness is enhanced with double shielding (aluminum laminate + braiding).

Features③ A thicker 0.75mm² cable is used (compared to the 0.3mm² cable supplied with the AH-730 antenna tuner) to enhance durability and strength.



OHM-SCC-15730

Retail Price 14,278 Yen [OR-835]

Member prices available!

Cable Length : Approx. 15m



OHM-SCC-20730

Retail Price 18,955 Yen [OR-836]

Member prices available!

Cable Length : Approx. 20m



OHM-SCC-30730

Retail Price 25,410 Yen [OR-837]

Member prices available!

Cable Length : Approx. 30m



■ Precautions for Use

For detailed operating instructions, please refer to the AH-730 instruction manual.

This cable cannot be extended by connecting it to the control cable supplied with the AH-730.

Please replace the original cable entirely with this one before use.

CQ Ohm Original Cable Set

CQ Ohm Original Brand VPC Series (Value Premium Cable)

A cable set that features the three essentials: Ease of Use, High Quality, and Great Value.

〈Set Contents〉 Cable / MP Connector (Pre-installed) simple/minimal packaging type.



5D2V MPMP

- VPC-2V-510MDM 10m
- VPC-2V-515MDM 15m
- VPC-2V-520MDM 20m
- VPC-2V-525MDM 25m
- VPC-2V-530MDM 30m

5DFB MPMP

- VPC-FB-510MDM 10m
- VPC-FB-515MDM 15m
- VPC-FB-520MDM 20m
- VPC-FB-525MDM 25m
- VPC-FB-530MDM 30m

Fujikura VPC-FFL MPMP

- VPC-FFL-510MDM 10m
- VPC-FFL-515MDM 15m
- VPC-FFL-520MDM 20m
- VPC-FFL-525MDM 25m
- VPC-FFL-530MDM 30m

Fujikura VPC-SFA MPMP

- VPC-SFA-510MDM 10m
- VPC-SFA-515MDM 15m
- VPC-SFA-520MDM 20m
- VPC-SFA-525MDM 25m
- VPC-SFA-530MDM 30m





All four types feature a connector that detaches at one end.

TDK Clamp Filter

For issues like buzzing, motor-boating, or fading: Just wrap it around and clamp it shut!

- For issues such as buzzing, motor-boating, or signal fading — simply wrap it around and snap it shut!
- Featuring TDK's original design, in which the ferrite core is integrated and mounted within a plastic housing, this clamp filter can be installed in one touch without cutting interface or power cables.
- Utilizing the high-frequency absorption characteristics of ferrite cores, it provides excellent suppression of unwanted high-frequency noise.
- Effective against common-mode noise, it reduces interference without affecting signal quality.



	Extra-Large ZCAT3035-1330	Large (Filter) ZCAT2032-0930	Small (Filter) ZCAT1518-0730
Outer Dimensions	30mm	20mm	15mm
Length Dimensions	33mm	32mm	18mm
Inner Dimensions	13mm	9mm	7mm
Exterior Color	Gray	Gray	Gray
Compatibility	10D	5D	3D

CQ Ohm Original Relay Cable MP-MP Relay Cable (Solder Type).

Recommended for users who frequently connect and disconnect their cables, such as during portable or field operations.

OHM-MM30H

[OR-658]

Average Rating 5.00 / 7 reviews

Retail Price 2,183 Yen **Member prices available!**

Solder Type / 5D2V30cmMPMP



Features① Available in 4 different lengths to suit your needs.

Features② The solder-type construction ensures excellent strength.


OHM-MM50H

Average Rating 4.77 / 13 reviews

Retail Price 2,236 Yen

Member prices available!

Solder Type / 5D2V50cmMPMP



[OR-659]

OHM-MM70H

Average Rating 4.75 / 12 reviews

Retail Price 2,316 Yen

Member prices available!

Solder Type / 5D2V70cmMPMP



[OR-660]

OHM-MM100H

Average Rating 4.91 / 22 reviews

Retail Price 2,396 Yen

Member prices available!

Solder Type / 5D2V100cmMPMP



[OR-661]

SMAP-SMAP Relay Cable

OHM-SN500

[OR-668]

Retail Price 4,000 Yen

SMAP-NP5.0m Relay Cable

Note:Discontinued / Limited Stock Remaining



Easy connection with
SMA-type handheld
transceivers.

OHM-BM30 [OR-829]

Retail Price 3,594 Yen

Member prices available!

BNCP-MP 3m RG58 Cable

Ideal for connecting M-type equipment to portable
antennas such as the HFJ-2734Y or HFJ-L77Y.



NP Relay Cable

NP-NP50 [OR-901]

Retail Price 900 Yen

NP-NP50cm Relay Cable

Note:Discontinued / Limited Stock Remaining




BNCP-NP50 [OR-902]

Average Rating 4.00 / 1 reviews

Retail Price 900 Yen

BNCP-NP50cm Relay Cable

Note:Discontinued /
Limited Stock Remaining



SMAP-NP50 [OR-903]

Average Rating 4.00 / 1 reviews

Retail Price 900 Yen

BNCP-NP50cm Relay Cable

Note:Discontinued /
Limited Stock Remaining



GHD Key Collaboration

A collaboration with GHD Key ☒ a world-renowned manufacturer of precision telegraph keys trusted by amateur radio operators worldwide.



CW-ONE-F [OR-969]

Retail Price 32,625 Yen **Member prices available!**



The 8th collaboration paddle between GHD Key and CQ Ohm.

It was crafted with the concept of combining a solid metal mechanism with a soft, smooth keying feel.

For this model, we have incorporated an advanced "softness" into the chassis of the enduringly popular CW-ONE.

By utilizing angled contacts and thin contact blades, we have achieved both a soft touch and quiet operation.

*Cable sold separately.

Specifications

- Base : W75 × H100(mm), with 4 feet
- Weight : Approx. 815g
- Clear Knob / Paddle : 2mm thickness

Optional (Sold Separately)

- 3.5mm mini-plug cable
- Original case modified for CW-ONE / CW-ONE-F / CW-ONE-PRO

CW-ONE [OR-074M]

Average Rating 4.83 / 80 reviews

Retail Price 26,121 Yen

Member prices available!

Specifications

- Base : W75 × H100 (mm), with 4 feet
- Weight : Approx. 800g
- Clear Knob/Paddle : 2mm thickness
- 3.5 φ Plug Cord : 1 included

Optional (Sold Separately)

- Original case modified for CW-ONE / CW-ONE-F / CW-ONE-PRO



This is the No. 1 best-selling model in the paddle key industry!

Highly recommended for everyone, from beginners to advanced operators!

Suitable for low to high speeds.

It is characterized by being firm and having no peculiarities! It is heavier than it looks and offers outstanding stability.



CW-ONE-PRO [OR-078M]

Average Rating 4.86 / 28 reviews

Retail Price 34,571 Yen **Member prices available!**


While the CW-ONE is already highly refined, the CW-ONE-PRO is designed for operators who demand even greater performance. This professional-grade model is recommended for skilled users who can truly appreciate the difference.

Specifications

- Base : W75 × H100(mm), with 4 feet
- Weight : Approx. 840g
- Clear Knob/Paddle : 2mm thickness
- 3.5 φ Plug Cord : 1 included

Optional (Sold Separately)

- Original case modified for CW-ONE / CW-ONE-F / CW-ONE-PRO



CW-ONE-jr [OR-074Mj]

Average Rating 4.71 / 17 reviews

Retail Price 24,008円

Member prices available!


Compact and space-saving, this model delivers a keying feel and specifications nearly equivalent to the CW-ONE — all at an exceptional price.

仕様

- Base : W50 × H75(mm), with 4 feet
- Weight : Approx. 460g
- Clear Knob/Paddle : 2mm thickness (14 types in total)
- 3.5 φ Plug Cord : 1 included

Options (Sold Separately)

- Original Case for CW-ONE-jr



CW-COMBI [OR-145]

Average Rating 5.00 / 7 reviews

Retail Price 51,450 Yen

Member prices available!

Combination Key — a single unit that offers both straight (vertical) and paddle (horizontal) keying, delivering an exceptional keying feel.

Ideal for compact operating spaces.

Specifications

- Base : W75 × H100 (mm), with 4 feet
- 3.5 φ Jacks : 2 included
- 3.5 φ Plug Cord : 1 included

Options (Sold Separately)

- Original Case for CW-COMBI



CW-MINI [OR-136]

Average Rating 4.28 / 18 reviews

Retail Price 27,422 Yen

Member prices available!

Ultra-compact and ready to perform anywhere! Measuring just 1.8 × 4.0 × 4.8 cm, it still allows precise adjustment of both spring tension and contact gap.

Specifications

- Base : W18 × D48 × H40 (mm)
- 3.5 φ Plug Cord : 1 included
- Dedicated Acrylic Case included

Options (Sold Separately)

- Slide Case Black (SLIDE-CASE for CW-MINI)
- EKUREA (Dedicated Case)



Color Paddles 14 Types Total

Retail Price: 924 Yen(One sheet) **Member prices available!**

Note: Available while stocks last. Not compatible with the CW-MINI or CW-PUTI.

Summer Green



Cobalt



Clear



Bluebird



Diamond



Rose Pink



Snow White



Blue Smoke



Chrome Yellow



Violet



Orange



Matte Black



Optional (Sold Separately)

- CW-ONE Clear Case Modified [OR-745]
- 【Compatible with】 CW-ONE/CW-ONE-F/CW-ONE-PRO
- CW-EPO Clear Case Modified [OR-087]
- CW-ONE-jr Clear Case Modified [OR-235]
- CW-COMBI Clear Case Modified [OR-146]
- EKUREA/CarbonStyle [OR-924]
- 3.5mm mini-plug cable [OR-076]
- 3.5mm mini-plug cable slim [OR-910]
- 3.5mm to 6.3mm Mini-Plug Adapter [OR-075M]

NEW




3.5mm mini-plug cable slim

NEW




EKUREA/CarbonStyle


CW-ONE Clear Case Modified



CW-ONE-jr Clear Case Modified



CW-COMBI Clear Case Modified



PUTIKEEG

Retail Price 11,500 Yen

Note: While stocks last



Specifications

- Size: Approx. W34 × D70 × H33 (mm)
- Weight: Approx. 108g
- Material: Stainless Steel, Iron

Accessories

- 3.5mm Plug Cable × 1
- 1.5mm Hex Wrench × 1
- 5.5mm Wrench
- Set Screws × 2 (Spare)
- Rubber Feet × 3



MCT-02-BLACK
[PK-003]



MCT-02-GOLD
[PK-005]

Call Sign Plate

A one-of-a-kind original call sign plate in the world.




6 Font Options Available

For non-monospaced fonts, the overall width of the plate will vary depending on the characters in your call sign. For example, a call sign containing “III” will appear slightly narrower than the sample, while one with “WWW” will appear a little wider. A slashed zero (Ø) has also been added in response to frequent customer requests. Operators in the “0” area may choose this version as well.


Please indicate this preference in the remarks/comments field when placing your order.

① ABCDEFGHIJKLMNOPQRSTUVWXYZ
0123456789Ø




①Perpetua Titling MT

② ABCDEFGHIJKLMNOPQRSTU
VWXYZ
0123456789Ø




②RexliaFree-Regular

③ ABCDEFGHIJKLMNOPQR
STUVWXYZ
0123456789Ø




③Old English Text MT

④ ABCDEFGHIJKLMNOPQRSTUVWXYZ
0123456789




④Osaka-Tohoba

⑤ ABCDEFGHIJKLMNOPQRSTU
VWXYZ
0123456789Ø



⑤Lithos Pro Black

⑥ ABCDEFGHIJKLMNOPQRSTUVWXYZ
0123456789Ø



⑥Playbill

Call Sign Plate Glass Color [OR-120]

Average Rating 5.00 / 7 reviews

Retail Price 9,240 Yen **Member prices available!**

Specifications

- Material : High-grade acrylic with a glass color finish
- Size : W280 × H100 (mm) / Thickness : 8mm
- Feet : Included
- Printing : Silk Screen Printing
- Lead Time : 2 weeks from order



Call Sign Plate Glass Mini Color [OR-126]

Average Rating 4.81 / 31 reviews

Retail Price 4,620 Yen **Member prices available!**

Specifications

- Material : High-grade acrylic with a glass color finish
- Size : W140 × H50 (mm) / Thickness : 8mm
- Finish : Corner processing included
- Feet : Included
- Printing : Silk Screen Printing
- Lead Time : 2 weeks from order



The back one is the standard size.

Call Sign Plate Designer's Template [OR-125]

Average Rating 5.00 / 1 reviews

Retail Price 10,835 Yen **Member prices available!**

Specifications

- Material : High-grade acrylic with a glass color finish
- Size : W280 × H100 (mm) / Thickness : 8mm
- Finish : Corner processing included
- Feet : Included
- Printing : Silk Screen Printing
- Lead Time : 2 weeks from order



Call Sign Plate Metal [OR-200]

Average Rating 4.64 / 14 reviews

Retail Price 8,195 Yen **Member prices available!**

Specifications

- Material : Stainless Steel Hairline Finish Plate
- Size : W200 × H70 (mm) / Thickness : 2mm
- Lead Time : 2 weeks from order

Option (Additional Fee)

- 2 Metal Feet for Desktop Use



The image shown includes the metal feet for desktop use.

Call Sign Plate Metal Ohm-kun Design

Customers ordering the Metal plate can change to the Ohm-kun "Warawara" SP design at no extra charge!



CIC-STAND01 [OR-397]

Average Rating 3.50 / 2 reviews

Retail Price 4,840 Yen

Transceiver Desktop Stand with Your Call Sign Engraved in Two Locations can also be mounted vertically using the magnet on the back.

As it is made of resin, it is not suitable for use in high-temperature environments such as inside vehicles.

Each unit is made to order and delivered in simple packaging.



OHM-OP30A [OR-508]

Average Rating 4.84 / 87 reviews

Retail Price 1,948 Yen **Member prices available!**

Please Give It a Try ☒ the Savior for Your Regulated Power Supply Terminals!

Internally, we affectionately call it “Wanpachi-kun” ,for its one-touch, snap-and-solve action.

Easily connect up to four units at 30 A!

Compatibility / Applicable Wires

■ Suitable Wire Types/Sizes

■ Single Wire (Copper), Electrical Appliance Safety (DENAN) Compliant : ϕ 0.8 to 2.6mm

■ JIS Compliant (JIS C 2814-2-2) IV 7-strand stranded wire : 0.5 to 6.0 mm²

■ Flexible Stranded Wire : 0.5 to 6.0 mm²


■ Stripped Length : 12 to 14mm

■ Maximum Sheath Outer Diameter : ϕ 6.1mm



BEFORE

Our old DM-130MV display power supply ☒ in this condition, it can be dangerous...



AFTER


Neat and tidy in just a few minutes. Maintenance is a breeze!

OHM-OP30AZ [OR-511]

Average Rating 4.84 / 43 reviews

Retail Price 2,412 Yen **Member prices available!**

This is a model that has two Large clamp filters added to the OHM-OP30A.



OHM-OP1CIG [OR-548]

Average Rating 5.00 / 15 reviews

Retail Price 3,279 Yen **Member prices available!**

Now Available ☒ the Cigarette Lighter Type joins the popular Wanpachi-kun lineup!



Wanpachi-kun Has a New Friend!


Meet Banapachi-kun — the latest addition to the series, now newly released in a banana-clip shape!

OHM-BP25A [OR-844]

Average Rating 5.00 / 3 reviews

Retail Price 3,146 Yen

Member prices available!



OHM-BP25AZ [OR-845]

Average Rating 5.00 / 4 reviews

Retail Price 3,609 Yen **Member prices available!**

This is a model that has two Large clamp filters added to the OHM-BP25A.



IC-705 Related Original Products

OHM-DRAGON-FIN

Cool down your IC-705 and other compatible transceivers using a heat sink type natural convection cooling system to prevent power reduction!

No power supply required. Simple, lightweight, and quiet. Offers cooling performance comparable to fan-based systems!

【Features1】 No external power supply is required, as it uses a natural-convection heat sink. Simple, lightweight, and completely free from electrical failure risk.

【Features2】 The heat sink used is high-quality and made domestically in Japan.

【Features3】 Installation on the transceiver is the same as the genuine battery pack, making attachment and removal easy.

【Features4】 A soft silicon thermal pad is used between the transceiver and the heat sink. This increases thermal conductivity, enabling stable cooling. The soft silicon pad is non-adhesive and removable.

The heat sink part is easy to attach and detach. Being square, the fin direction can be changed **【Features5】** by 90 degrees. This allows you to aim the fins toward the best airflow when the transceiver is placed vertically or horizontally, maximizing cooling efficiency.

OHM-DRAGON-FIN-W

Average Rating 4.46 / 5 reviews

[OR-795]


Retail Price 10,648 Yen **Member prices available!**

S/L Type with Case

【Compatible Models】 IC-705 / ID-52 series • ID-51 • ID-31

Specifications

- S Type W50 × D50 × H25(mm)
- L Type W50 × D50 × H40(mm)
- OHM-TCP-6W(Thermal Pad) × 2



OHM-DRAGON-FIN-S

Average Rating 5.00 / 3 reviews

[OR-794]

Retail Price 9,317 Yen **Member prices available!**

S Type (Ideal for handheld transceivers)

【Compatible Models】 IC-705 / ID-52 series • ID-51 • ID-31

Specifications

- S Type W50 × D50 × H25(mm)
- OHM-TCP-6W(Thermal Pad) × 1



OHM-DRAGON-FIN-L

Average Rating 5.00 / 1 reviews

[OR-793]

Retail Price 9,317 Yen **Member prices available!**

L Type (Ideal for the IC-705)

【Compatible Models】 IC-705 / ID-52 series • ID-51 • ID-31

Specifications

- L Type W50 × D50 × H40(mm)
- OHM-TCP-6W(Thermal Pad) × 1



Option

OHM-TCP-6W

(Thermal Conductivity Sheet / Thermal Pad)

Thermal Conductivity Sheet for use with OHM-DRAGON-FIN models.

Note: This is the same sheet that is initially included.



【Precautions】

• The W model includes one case and two heat sinks.

If you wish to use them simultaneously with two transceivers, please prepare an L or S model for each transceiver.

• Use this product by replacing the originally included battery pack.

• The heat sink fins have sharp edges and can be easily bent if force is applied. Please handle with care to avoid injury.

• As mentioned above, cooling performance varies greatly depending on ambient temperature, airflow, and wind direction.

Please ensure a suitable operating environment for optimal results.

The 705 Bag has evolved and is now available! The zipper features a three-dimensional Ohm-kun logo.

OHM-705-CARRIER-V3

Average Rating 4.50 / 4 reviews [OR-799]

Retail Price 11,979 Yen **Member prices available!**



- Specifications
- Size : W300 × D170 × H160(mm)
 - Inner Size : W280 × D160 × H150(mm)

- Features①** The front and top of the main bag open wide, allowing the IC-705 to be operated while still inside.
- Features②** A handle is attached to the top of the bag, making short carries and transfers easy.
- Features③** A holder that can be slipped onto a rolling suitcase handle is attached to the back, allowing it to be used as a carry-on bag.
- Features④** Pockets are equipped on the inner side of the top lid and the outer side of the back, helping to organize small items that tend to get scattered.
- Features⑤** Hard material is used on the top, sides, and bottom of the bag to protect the transceiver inside.
- Features⑥** Rubber feet are equipped on the bottom of the bag, allowing the main body to stand firmly on its own.
- Features⑦** The shoulder strap includes a shoulder pad.
- Features⑧** The IC-705 can be stored even with optional accessories like the OHM-AA1X or OHM-705-SHIELD attached.
- Features⑨** The size provides ample vertical and horizontal space, allowing you to also store options you wish to carry along, such as the OHM-PD65W or OHM-USB705/OC/PD.



IC-705 & AH-705 Carrying Case Set OHM-METALCASE-705

Retail Price 55,055 Yen **Member prices available!** [OR-946]



- Specifications
- Size : W260 × D280 × H110(mm) (minimum dimensions of the main unit only)
 - Weight : Approx. 2.0 kg
 - Total weight : Approx. 3.8 kg (including IC-705 and AH-705)
 - Material : Steel, black finish
- Accessories
- Coaxial cable (BNCP-BNCP, L-type connectors at both ends, 30 cm)
 - AH-705 control cable (L-type connectors at both ends, 30 cm)
 - M4 screws (2 pcs, for IC-705 mounting)

- Features①** A sturdy iron case.
- Features②** You can carry the IC-705 and operate it just as it is.
- Features③** The AH-705 antenna tuner can also be stored and carried along with it.
- Features④** It features legs that allow for two-level height adjustment, making the screen easy to view.
- Features⑤** The case opens wide, allowing for smooth wiring.
- Features⑥** Can be used with the OHM-DRAGON-FIN-S attached.



OHM-USB705/OC/PD

Average Rating 4.88 / 60 reviews

[OR-393]

Retail Price 4,080 Yen **Member prices available!**



Can be operated or charged using a mobile battery.

A mobile battery with USB PD (Power Delivery) output of 45 W or higher at 15 V

☑ typically the type used for charging laptops ☑ is required.

Compatible with OHM-PD65W, OHM-PD100W,
OHM-PD-MONSTER-1, and OHM-PD-MONSTER-2.



OHM-CP705 [OR-402]

Average Rating 4.85 / 26 reviews

Retail Price 3,594 Yen **Member prices available!**



Introducing the CQ Ohm Original Cigarette Lighter Power Cable for the IC-705!

With this cable, you can operate your IC-705 directly from your car's 12V cigarette lighter socket!

To counter voltage drop, poor contact, and noise, it utilizes a special four-contact support cigarette plug.

Total Length: Approx. 1m



WAH-705 [OR-448]

Average Rating 4.74 / 19 reviews

Retail Price 2,130 Yen **Member prices available!**

8m Antenna Wire and Insulator Set for the AH-705.

This allows operation on 3.5MHz and higher.

Uses 1.25mm² vinyl-coated wire.

Note: Can also be used with the FC-40, AH-4, and AH-730.



OHM-C7054 [OR-501]

Average Rating 4.71 / 14 reviews

Retail Price 3,300 Yen

Member prices available!

A cable that can connect the IC-705 and the AH-730!



OHM-SS1 [OR-404]

Average Rating 4.42 / 12 reviews

Retail Price 3,993 Yen

One-touch sunshade that can be folded for portability

【Compatible Models】

IC-705 / IC-9700 / IC-7300 / IC-R8600 / FT-991 series /
FTDX3000 series



FT-818 / FT-817 Series Related Original Products

OHM-USB818/OC/PD

Average Rating 4.90 / 40 reviews [OR-395]

Retail Price 4,080 Yen **Member prices available!**

【Compatible Models】FT-818 / FT-817 series

Power Supply

This unit can be operated or charged using a compatible mobile battery.

A mobile battery supporting USB Power Delivery (PD) 45 W / 15 V or higher is required.

Compatible models include OHM-PD65W, OHM-PD100W, OHM-PD-MONSTER-1, and OHM-PD-MONSTER-2.



OHM-CP818 [OR-544]

Average Rating 4.55 / 11 reviews

Retail Price 4,356 Yen **Member prices available!**

【Compatible Models】FT-818 / FT-817 series

Cigarette Lighter Cable (for FT-818 / FT-817 Series)

Designed exclusively for the FT-818 / FT-817 series, whose power jack uses a unique connector.

The cigarette plug features a four-point contact support structure to prevent looseness and ensure a stable, reliable power connection during operation.



RJ-100 [OR-346]

Average Rating 4.50 / 8 reviews

Retail Price 924 Yen

Member prices available!

Radial Cable Joint Set

This is a joint cable set for connecting CQ Ohm's original radial cables for home use (including the mini-lug type) to the main

unit screw terminals of the FT-818 / FT-817 series and the HFJ-350M.



IC-705 / FT-818 / FT-817 Common Options

OHM-AA1X [OR-419]

Average Rating 4.66 / 68 reviews

Retail Price 5,452 Yen **Member prices available!**

【Compatible Models】IC-705 / FT-818 / FT-817 series

Angle Arm Mount Set (for IC-705 / FT-818 Series)

Includes a simple tilt-adjustment base and a conversion cable (BNCP-L-MJ).

This compact tilt allows the antenna to remain perfectly vertical even when the transceiver body is tilted.

The large control knob provides easy angle adjustment.

Now compatible with the MBF-705.

The AA1X model has been upgraded from the previous AA1 with multi-holes for enhanced usability.

These holes allow the attachment of the screws included with the IC-705 and radial wires.



AA1X-C [OR-419]

Average Rating 4.33 / 3 reviews

Retail Price 2,200 Yen

Member prices available!

【Compatible With】Replacement Cable for OHM-AA1X

BNCP L-type to MJ Straight – Special Mounting Type Approx. 11 cm cable length.

Designed as a replacement (spare) part for the OHM-AA1X mount.



Multi-Side Shield.Compatible with various mobile models from two manufacturers!

OHM-X-SHIELD [OR-842]

Average Rating 3.50 / 4 reviews

Retail Price 16,456 Yen **Member prices available!**

【Compatible Models】

IC-7300 / IC-9700 / FTDX10 / FT-991 / FT-710

Includes Hex Key for Assembly

Note:Transceiver is not included.



FT-710

Specifications


- Weight : 540g
- Material : CNC precision-machined aluminum alloy, with surface anodic oxidation treatment (anodized finish)

Accessories

- Parts × 4
- Transceiver Fixing Screws: Long Countersunk Screws × 4
- Transceiver Fixing Screws: Short Countersunk Screws × 4
- Transceiver Fixing Screws: Drilled Bolts (or Hollow Bolts) × 4



IC-7300



FT-991

CAA-500Mark II /Revised [OR-728]

Average Rating 4.89 / 18 reviews

Retail Price 79,200 Yen **Member prices available!**

CQ OHM Original Version (Enhanced CAA-500 Mark II)

The CQ OHM Original Version, developed to improve upon the drawbacks of the CAA-500 Mark II, is finally here!

Experience enhanced usability, precision, and reliability — designed and refined by CQ OHM.

Protective Sheet + USB Power Supply Cable + Knurled Screws × 2 + Rubber Feet Set

1.Applied an anti-static protective sheet to the analog meter,
as it is vulnerable to static electricity.


2.Added an external power supply to prevent battery drainage and leakage.

3.Replaced screws with knurled screws that can be turned
by hand for easier battery replacement.

4.Added four rubber feet to prevent slippage.

CAA500Mark II/Revised Accessories

- Anti-static protective sheet (Pre-applied)
- USB Power Supply Cable (OHM-USB500/PD) × 1
- Knurled Screws (OHM-RG5002) × 2 (Pre-installed)
- Rubber Feet (OHM-RG5002) × 4 (Pre-installed)



Four rubber feet were added to eliminate wobbling!

Changed to knurled screws that can be turned by hand!

OHM-RG5002 [OR-726]

Average Rating 4.82 / 11 reviews

Retail Price 1,906 Yen **Member prices available!**

Knurled Screws × 2+Rubber Feet × 4

【Compatible Models】 CAA500Mark II

Note:Not compatible with the CAA5SC genuine soft case.



OHM-RG5002

OHM-USB500/PD [OR-727]

Average Rating 4.00 / 1 reviews

Retail Price 2,662 Yen **Member prices available!**

This cable allows you to power the CAA500 Mark II via USB from a mobile battery!

Prevent problems such as battery degradation or corrosion inside the unit!

【Compatible Models】 CAA500Mark II Note:PD 15V (Power Delivery 15V) is required.



OHM-USB500/PD

Portable Operation Mobile Battery

OHM-PD-MONSTER-2

Retail Price 51,576 Yen **Member prices available!** [OR-834]



Specifications

- Battery Type : Lithium Iron Phosphate Battery (LFP LiFePO 4)
- Capacity : 96000mAh / 307.2Wh
- External Dimensions : Approx. W157 × D207 × H72 (mm)
- Weight : Approx. 3kg
- Output Terminals : USB Type-C port, two USB Type-A ports, two 12V cigarette sockets

Accessories

- Main Unit × 1
- AC Adapter (DC Jack Connection Charger) × 1
- Instruction Manual (Chinese/English) × 1

Features① High-capacity battery with 96000mAh / 307.2Wh. Capable of supporting long operating hours.

Features② Equipped with one USB Type-C port, two USB Type-A ports, and two 12V cigarette sockets. When used together with the OHM-PDMC series (cigarette-type power cable dedicated to the PD-MONSTER series), it can supply power to 50W transceivers (12V / 15A). The USB Type-C port supports PD output and can be used with cables such as the OHM-USB705/OC/PD. All of our PD power cables for transceivers are fully compatible.

Features③ Lithium Iron Phosphate (LiFePO4) batteries have a lower risk of thermal runaway caused by over-discharge or over-charge during prolonged use, offering greater safety and a longer lifespan compared to standard Lithium-ion batteries.

High-power operation is possible with the PD-MONSTER-1/2 series!

OHM-PDMC-4 [OR-725]

Average Rating 4.62 / 13 reviews

Retail Price 4,792 Yen

Member prices available!

Built-in 15A Fuse / 4P Power Connector Type

Cable Length: 90cm




OHM-PDMC-6 [OR-724]

Retail Price 4,792 Yen

Member prices available!

Built-in 15A Fuse / 6P Power Connector Type

Cable Length: 90cm



OHM-PDMC-T [OR-723]


Average Rating 4.75 / 4 reviews

Retail Price 4,792 Yen

Member prices available!

Built-in 15A Fuse / T-Type Connector Type

Cable Length: 90cm



【Warning】

This power cable is intended exclusively for the PD-MONSTER-1 / 2.
Do not use it with any other power supply.
Doing so may cause damage or malfunction.

Now available: JESVERTY regulated power supplies!

JESVERTY Official Domestic Distributor

The power supply brand of Ningbo JiuYuan Electronic Co., LTD, which has been developing and producing regulated power supplies and measuring instruments for over 20 years.

SPS-1330 [JYS-005]

Average Rating 4.80 / 5 reviews

Retail Price 19,118 Yen **Member prices available!**

Maximum Output 30A (MAX)



Specifications

- Output Voltage : 13.8VDC $\pm$ 0.5V (Fixed Output)
- Intermittent Max Output : 30A
- Continuous Max Output : 25A
- Main Output Terminal : 30A (MAX)
- Auxiliary Output : None
- Dimensions : W191 $\times$ D150 $\times$ H60(mm)
- Weight : 1.42kg

SPS-1332 [JYS-001]

Average Rating 4.78 / 9 reviews

Retail Price 20,328 Yen **Member prices available!**

Maximum Output 30A (MAX)



Specifications

- Output Voltage: 13.8V Fixed / 9V - 15V Variable Output (Switchable)
- Intermittent Max Output: 30A
- Continuous Max Output: 25A
- Main Output Terminal: 30A (MAX) Binding Posts (or Army Terminals)
- Auxiliary Output: 4mm Banana Plug Sockets
- Dimensions: W155 $\times$ D205 $\times$ H70 (mm)
- Weight: 1.5kg

SPS-1350 [JYS-002]

Average Rating 5.00 / 6 reviews

Retail Price 26,378 Yen **Member prices available!**

Maximum Output 50A (MAX)



Specifications

- Output Voltage: 13.8V Fixed / 9V - 15V Variable Output (Switchable)
- Intermittent Max Output: 50A
- Continuous Max Output: 40A
- Main Output Terminal: 50A (MAX) Binding Posts (or Army Terminals)
- Auxiliary Output: Cigarette Terminal (10A Max)
- Dimensions: W195 $\times$ D260 $\times$ H85 (mm)
- Weight: 2.5kg

SPS-30II [JYS-003]

Average Rating 5.00 / 1 reviews

Retail Price 21,538 Yen **Member prices available!**

Maximum Output 30A (MAX)



Specifications

- Output Voltage: 13.8V Fixed / 9V - 15V Variable Output (Switchable)
- Intermittent Max Output: 30A
- Continuous Max Output: 25A
- Main Output Terminal: 30A (MAX) Binding Posts (or Army Terminals)
- Auxiliary Output: Cigarette Terminal (10A Max) & Snap-in Terminals $\times$ 2 Sets (3A Max)
- Dimensions: W170 $\times$ D230 $\times$ H130 (mm)
- Weight: 2kg

SPS-50II [JYS-004]

Average Rating 4.67 / 3 reviews

Retail Price 27,588 Yen **Member prices available!**

Maximum Output 50A (MAX)



Specifications

- Output Voltage: 13.8V Fixed / 9V - 15V Variable Output (Switchable)
- Intermittent Max Output: 50A
- Continuous Max Output: 40A
- Main Output Terminal: 30A (MAX) Binding Posts (or Army Terminals)
- Auxiliary Output: Cigarette Terminal (10A Max) & Snap-in Terminals $\times$ 2 Sets (3A Max)
- Dimensions: W170 $\times$ D280 $\times$ H130 (mm)
- Weight: 2.5kg

USB Connect Cable

A groundbreaking product that allows you to connect a mobile battery and a transceiver via USB!

OHM-USB01YC

Average Rating 4.70 / 27 reviews

Retail Price 3,194 Yen

Member prices available!

【Compatible With】For Yaesu Charging Only

FT5D / FT3D / FT2D / FT1D / VX-6 / VX-7 / VX-8 / FT-60 / FT-70D and others

Note: Please check the web for the latest list of compatible models.

- This is a USB cable that allows you to charge the FT1D / FT2D, etc., with a mobile battery or USB charger. It steps up the voltage from 5V to 12V.
- If using with a USB charger, please use one rated for 1A or more, such as those for tablets.
- The connector housing (cover) may differ from the product shown in the image, depending on the production lot.
- The cable may become slightly warm during operation, but this is normal and does not indicate a problem.

Note: The cable tag is blue. The plug-in port is yellow.



OHM-USB02KIC

Average Rating 4.96 / 24 reviews

Retail Price 3,194 Yen

Member prices available!

【Compatible With】For Icom and Kenwood Charging Only

ID-52 Series / ID-31 Series / ID-51 Series / TH-D75 / TH-D74 / TH-D72 / DJ-G7 and others

Note: The cable tag is green. The plug-in port is black.



OHM-USB03VXC

Average Rating 4.50 / 6 reviews

Retail Price 3,194 Yen

Member prices available!

【Compatible With】For Charging Only

VX-2 / VX-3 / VR-160 and others

Note: Operation of the radio is not possible.

The cable tag and plug-in port are yellow, and a ferrite core is attached to the cable.



OHM-USB04VXO

Average Rating 4.92 / 13 reviews

Retail Price 2,033 Yen

Member prices available!

【Compatible With】For Operation Only

VX-2 / VX-3 / VR-160 and others

Note: Reception is possible, but transmission depends on the mobile battery (MB) rating, and charging is not supported. The cable tag is white.



OHM-USB06RC

Average Rating 5.00 / 7 reviews

Retail Price 2,033 Yen

Member prices available!

【Compatible With】Charging / Operation Possible

IC-R6 and others

Note: This product is not compatible with the IC-R5.

The cable tag is red.



OHM-2350LU-mini

Average Rating 4.75 / 8 reviews

Retail Price 5,254 Yen **Member prices available!**

【Compatible With】ID-31PLUS / ID-51PLUS2 / ID-4100 / IC-9700

OPC-2350LU Compatible Cable (1 pc) and OTG Cables (2 pcs)

Micro-USB Straight and Type-C Straight

A set of 3 cables in total.



OHM-USB07Y/OC/PD

Average Rating 5.00 / 9 reviews

Retail Price 3,744 Yen **Member prices available!**

【Compatible With】 Charging and Operation Possible (PD12V required)
FT5D / FT3D / FT2D / FT1D / VX-6 / VX-7 / VX-8 / FT-60 / FT-70D

Specifications

■USB: Type-C

Note: The mobile battery must be a USB PD 12V type, such as the OHM-PD65W.



OHM-USB08KI/OC/PD

Average Rating 4.82 / 28 reviews

Retail Price 3,744 Yen **Member prices available!**

【Compatible With】 Charging and Operation Possible (PD12V required)
ID-31 Series / ID-51 Series / ID-52 Series / TH-D75 / TH-D74/
TH-D72 / DJ-G7 Series

Specifications

■USB: Type-C

Note: The mobile battery must be a USB PD 12V type, such as the OHM-PD65W.



- When charging, please use this product only with compatible models.
Using it with other devices may cause malfunction or damage.
- The connector housing may differ from the product shown in the image, depending on the production lot.
- Please check our website for the latest list of compatible models.

OHM-DPD-FT65

[OR-839]

Average Rating 5.00 / 1 reviews

Retail Price 4,080 Yen **Member prices available!**

【Compatible With】 For Charging Only FT-65

Specifications

■Length: Approx. 1m

■USB: Type-C

→ Connector for cradle connection

(The Type-C port requires connection to a PD 15V source.)



OHM-DPD-TS10

Retail Price 4,080 Yen

[OR-840]

Member prices available!

【Compatible With】 For Charging Only IC-T10 / IC-S10


Specifications

■Length: Approx. 1m

■USB: Type-C

→ Connector for cradle connection

(The Type-C port requires connection to a PD 15V source.)



- * Connects to the cradle supplied with the IC-T10/IC-S10.
Cannot be connected directly to the radio unit itself.

*Please be sure to check the specifications of your mobile battery.

OHM-USB-PD Series

Introducing the CQ Ohm Original Connect Cable which allows for high-power operation of various digital license-free radio models using a mobile battery! This will free you from the worry of running out of battery!

Note: A PD (Power Delivery)–compatible mobile battery, such as the OHM-PD100W, is required. The USB connection is Type-C PD.

OHM-DPR6/ USB/PD [OR-568]  Retail Price 8,855 Yen Member prices available! 【Compatibility】 IC-DPR6 	OHM-DPR7/ USB/PD [OR-564]  Retail Price 10,452 Yen Member prices available! 【Compatibility】 C-DPR7 / 7S Series 
OHM-D301/ USB/PD [OR-754]  Average Rating 5.00 / 3 review Retail Price 4,830 Yen Member prices available! 【Compatibility】 FC-D301 	OHM-TPZD553/ USB/PD [OR-565]  Retail Price 12,582 Yen Member prices available! 【Compatibility】 TPZ-D563 Series TPZ-D553 Series TPZ-D563E Series 
OHM-DJDPS7071/ USB/PD [OR-570]  Retail Price 11,144 Yen Member prices available! 【Compatibility】 DJ-DPS70 Series DJ-DPS71 Series DJ-DPS72 Series 	OHM-EDH43/ USB/PD [OR-571]  Average Rating 5.00 / 2 review Retail Price 4,816 Yen Member prices available! 【Compatibility】 Connects to and is used with the EDH43. DJ-DPS70/DJ-DPS71/ DJ-DPS72W/ DJ-DPX1/DJ-DPX2 Note: The EDH-43 is sold separately. (12V / 24V Dual-Use External Power Adapter) 

- For models that do not have an external power terminal on the transceiver body, the product is made by modifying the battery pack.
- Scratches may occur during the modification process.
- A mobile battery with PD (Power Delivery) support is required.
- Depending on the transceiver model, the connect cable requires a 9V, 12V, or 15V PD mode. Please confirm that your mobile battery supports the necessary mode.
- Please note that the latest Anker models do not support the 12V mode.

Cigarette Lighter Power Supply

Recommended for users who mainly operate their radios in a vehicle, or for those who want to avoid depleting the battery during long car journeys.

DPR6-CIG [OR-115]

Average Rating 4.86 / 14 review

Retail Price 7,920 Yen

Member prices available!

【Compatibility】

IC-DPR6 / IC-DPR5 / IC-D60 / IC-D50 / IC-4800 / IC-4810

Note : Compatible with both 12V and 24V.



DPR7-CIG [OR-357]

Average Rating 5.00 / 7 review

Retail Price 9,900 Yen

Member prices available!

【Compatibility】 IC-DPR7 / 7BT / IC-DPR7S / 7SBT

Note : Compatible with both 12V and 24V.



D301-CIG [OR-755]

Average Rating 5.00 / 4 review

Retail Price 3,993 Yen

Member prices available!

【Compatibility】 FC-D301

Note : Compatible with both 12V and 24V.



D553-CIG [OR-137]

Average Rating 4.67 / 3 review

Retail Price 11,880 Yen

Member prices available!

【Compatibility】 TPZ-D563 / D563BTE / TPZ-D553SCH / D553MCHTCP-D151C / TCP-D251C / TCP-D551

Note : Compatible with both 12V and 24V.



OHM-KC1 [OR-363]

Average Rating 4.92 / 25 review

Retail Price 3,162 Yen

Member prices available!

T-Type Cigarette Lighter Power Cable for Mobile Transceivers
Uses a special four-contact supported cigarette socket to prevent poor connections and reduce noise.

Specifications

- Simple Cigarette Lighter Power Cable (For 20W transceivers)
- 2 sq. T-type with 15A fuse
- Can be used with 144 / 430 MHz mobile transceivers as it features a T-type connector.
- Length : Approx. 2m



OHM-R18F [OR-712]

Average Rating 5.00 / 1 review

Retail Price 3,328 Yen

Member prices available!

New Cigarette Lighter Cable for the IC-R6.

Note : The F-type model now comes with a TDK clamp filter, providing improved noise suppression and quieter operation across all frequency bands.

【Compatibility】 IC-R6 / IC-RX7 / IC-R20 / IC-R3ss



Specifications

- Input Voltage : 11.0VDC ~ 30.0VDC
- Output Voltage : 5.5VDC ± 10%
- Output Power : 1.5A (Continuous), 2.0A (Max 1 min ON/OFF)
- Fuse Rating : 3.0A
- With LED : 12V - 24V



Original Microphone and Speaker

The CQ OHM Original Speaker Microphone is now available!

It is slightly smaller than the genuine model, making it more comfortable to hold.

Note : The microphone/speaker unit is the same for all models.
Equipped with a clip and a 3.5mm earphone jack.



OHM-MSP-ID52

[OR-669]

Average Rating 4.50 / 10 reviews

Retail Price 4,211 Yen

Member prices available!

【Compatible Models】

ID-52 Series / IC-DRC1MK II /

DJ-PV1D



OHM-MSP-FT5D

[OR-670]

Average Rating 4.80 / 15 reviews


Retail Price 3,618 Yen

Member prices available!

【Compatible Models】

FT5D / FT3D / VX-3 / FT-70D

Note : FT60 / 65 Incompatible



OHM-MSP-03

[OR-701]

Average Rating 5.00 / 2 reviews

Retail Price 4,211 Yen

Member prices available!

【Compatible Models】

VX-6 / DJ-S57LA / DJ-S17L /

DJ-S47L / DR-DPM60 / 61 /

DJ-DPS70 / 71 / DJ-DPX1 / 2 /

FC-D301 Others



OHM-MSP-DPR

[OR-702]

Average Rating 5.00 / 1 reviews

Retail Price 5,324 Yen

Member prices available!

【Compatible Models】

IC-DPR6 Series / IC-DPR7 /

7S / 7SBT Series



OHM-MSP-THD75

[OR-786]

Average Rating 5.00 / 2 reviews

Retail Price 3,993 Yen Member prices available!

【Compatible Models】 TH-D74 / TH-D75

Other Kenwood 2-pin type accessories can also be used.



OHM-MULTI-MH2

Average Rating 4.67 / 6 reviews [OR-752]

Retail Price 600 Yen

Member prices available!

Multi Microphone Hanger

This versatile hanger comes with strong 3M double-sided tape, allowing you to mount your microphone almost anywhere.

Compatible with most microphones and speaker microphones.

Color and material may vary depending on the production lot.



BS-110I/S

Retail Price 5,909 Yen

Member prices available!



BS-110I
[OR-055TT]



BS-110S
[OR-056TT]

Specifications

■《Earphone Microphone》

Body Size : W19 × D15 × H32 (mm) (excluding clip)

Type : Omnidirectional Electret Condenser Microphone

Sensitivity : -38dB ± 3dB (0dB=1V/Pa) at 1kHz

Impedance : 32Ω

■《Earphone Unit》

Earphone : Canal Type (SV-00)

Type : Dynamic

Driver : φ7.0mm

Output Sound Pressure Level : 100dB/mW

Max Input : 30mW

Impedance : 2KΩ ± 30% at 1kHz

Cord Length : 600mm ± 30mm

Included : 2 Sets of Replacement Earpieces



BS-110K [OR-364]

Average Rating 5.00 / 2 reviews

Retail Price 5,909 Yen

Member prices available!



Discontinued / Limited Stock Remaining

Compatible Models (Operation Confirmed)

K Type

TCB-U700 / TCP-101 / TCP-201 / TCP-U80 / TCP-U90F

Note : Cannot be used for simultaneous communication.

UBZ-BG20R / UBZ-BH47FR

Note : Cannot be used for simultaneous communication.

UBZ-BM20R / UBZ-EA20R / UBZ-LM20 /

UBZ-LP20 / UBZ-LP27R / UBZ-S20 /

UBZ-S27 / UBZ-S700 / UTB-10

Note : The PTT hold function cannot be used.



BEB-R15 [OR-801]

Average Rating 5.00 / 6 reviews

Retail Price 2,622 Yen **Member prices available!**

Bluetooth Earphone

This Bluetooth earphone is designed for comfortable outdoor use without blocking your ears.

Its open-ear, ear-cuff style reduces fatigue during long periods of use and is ideal for users who dislike in-ear earphones.

Please refer to the instruction manual available on the web.

【Compatible Models】 IC-R15

Specifications

- Connection Method: Bluetooth 5.3
- Charging : USB Type-C
- Weight : Main Unit Approx. 11g

Accessories

- Earphone Main Unit (1 pair, Left and Right)
- Case
- USB Type-A to C Cable



OHM-980SPX

[OR-262]

Average Rating 4.81 / 75 reviews

Retail Price 3,036 Yen **Member prices available!**

This is the CQ Ohm Original High-Performance Multi External Speaker!

Cable: 1.8m



OHM-USB-AMP

[OR-663]

Retail Price 2,160 Yen

Member prices available!

Speaker Amplifier

Introducing our new speaker amplifier!

It can be used with the HYUGA speaker series as well as other commercially available speakers.

Please supply power via a USB Type-A source.

Specifications

- Operating Voltage : 5V (USB)
- Output : 1.2W(8Ω)~3W(3Ω)
- Input : 3.5mm Mono Plug
- PCs, etc.
- Transceivers (Headphone Output)



HYUGA03 -CUBE-DBkit

[OR-641]

Average Rating 4.33 / 15 reviews

Retail Price 2,662 Yen **Member prices available!**

Specifications

- Impedance : 8Ω
- Rated Input : 2W
- Maximum Input : 5W
- Lowest Resonant Frequency : 400Hz
- Output Sound Pressure Level : 89dB W/m
- Finished Size : W100 × D100 × H100 (mm)



Assembly
Required

HYUGA03-CUBE -"KINARI"

[OR-647]

Average Rating 5.00 / 1 reviews

Retail Price 7,841 Yen

Member prices available!

Specifications

- Impedance : 8Ω
- Rated Input : 2W
- Maximum Input : 5W
- Lowest Resonant Frequency : 400Hz
- Output Sound Pressure Level : 89dB W/m
- Finished Size : W100 × D100 × H100 (mm)



Finished
Product

Reversible use is also possible!!

HYUGA03-CUBE-"KINARI"-KIT

[OR-648]

Average Rating 5.00 / 4 reviews

Retail Price 6,026 Yen **Member prices available!**

Specifications

- MDF Plywood : 6 sheets
- Dowel Pins : 16 pieces
- Silver Screws : 6 pieces
- Speaker : 1 unit
- Red and Black Cable : 1 piece
- Speaker Terminal : 1 unit
- Speaker Cable : 1 piece



Assembly
Required

CQ Ohm × Lezact

A collaboration product with Lezact, a leather goods company located in the same Gifu Prefecture as CQ Ohm.

Transceiver × Smartphone × Genuine Leather Case

LLC-03 Average Rating 4.67 / 3 reviews
Retail Price 15,272 Yen **Member prices available!**



The third collaboration product from CQ Ohm × Lezact.

While it is primarily a belt-fixed style, by using the LLC-L (sold separately), it can also be used as a shoulder strap style or a waist belt style.



※The LLC-L is not included.



LLC-02T

Average Rating 4.67 / 3 reviews
Retail Price 12,932 Yen

Member prices available!



Perfect for users who want a high-quality, professional-style transceiver case.



LLC-L

Average Rating 5.00 / 2 reviews
Retail Price 5,058 Yen

Member prices available!



2-Way Belt for the LLC-03 / LLC-02T
(Waist Style & Shoulder Style)



Multi-purpose belt, approximately 70 cm~130 cm
Note: Incompatible with the LLC-01/02

LLC-KH01 Average Rating 4.83 / 7 reviews
Retail Price 2,118 Yen **Member prices available!**

This is a handmade keychain die-cut from genuine leather!



LLC-KH01-BLUE



LLC-KH01-RED



LLC-KH01-BLACK

OHM-SC-D75

[OR-841]

Average Rating 4.55 / 11 reviews

Retail Price 3,594円

Member prices available!

Soft Case for the TH-D75

Includes a dedicated strap (OHM-STRAP-BW1)



Features①

Includes a transparent cover that protects the screen and keyboard area.

Features②

Features a speaker hole in the bottom left corner.

Features③

The dedicated strap helps prevent accidental drops.

OHM-STRAP-BW1

Average Rating 4.60 / 5 reviews

[OR-849]

Retail Price 1,597 Yen

Member prices available!

Strap for Handheld Transceivers

Length (including cord): 17.5cm



We can laser-engage your call sign! A ring and strap are included as a free gift. The holder can be used with or without the ring. Custom text other than your call sign can also be engraved. Please contact us for details.

RZ-TAG-CAM

Font:Perpetua Titling MT

Color:Camel



Actual Size: 7.8×2.5 (cm)



RZ-TAG-RED

Color:Red

The text is less visible compared to the Camel color



RZ-TAG-BLUE

Color:Blue

The text is less visible compared to the Camel color



RZ-TAGmini-CAM

Font:Perpetua Titling MT

Color:Camel



Actual Size: 6×2 (cm)

RZ-TAGmini-RED

Color:Red

The text is less visible compared to the Camel color



RZ-TAGmini-BLUE

Color:Blue

The text is less visible compared to the Camel color



OHM-MULTI-GPS

Average Rating 4.95 / 19 reviews [OR-792]

Retail Price 10,583 Yen **Member prices available!**



Add or enhance GPS functionality by connecting this unit to your GPS-compatible transceiver!
No self-assembly required / All-in-one / Operation confirmed!

【Compatible Models】 IC-9700 / IC-7100 / ID-5100 / FT-991A Others



Features①

Compatible with major current models from Icom and Yaesu.
Icom transceivers normally require custom-made connection cables, but this unit eliminates the need for any self-assembly.
It is a complete all-in-one set, and operation has been verified with the main current models, ensuring reliable performance.

Features②

In combination with the D-STAR function, it can automatically find the nearest D-STAR repeater.
There is no need to manually enter your location information.

Features③

When used together with the WIRES-X function, you can exchange position coordinates with your communication partner and display the distance between you. The communication partner must also have GPS functionality enabled.

Features④

Corrects the time using the GPS signal.

Features⑤

Since the GPS unit is external (cable length approx. 1.5 m), it can be placed in an area with stronger GPS reception, such as near a window, when signal strength is weak. It comes with 3M double-sided tape, allowing secure mounting in various locations.

GPS-DCC [OR-831]

Average Rating 5.00 / 2 reviews

Retail Price 1,997 Yen **Member prices available!**



Power Cable for MULTI-GPS

Converts a regulated power supply from DC12V to USB/5VDC.

It can be connected directly to a regulated power supply.

Specifications

■ Cord Size : 0.5sq × Approx. 1m

■ Usable Power Supply / Current : 6V~15V, 2.1A or less

■ Unit Voltage : DC 5V

■ Unit Current Consumption : 1A (at maximum output)

■ Usable Temperature Range : -10°C~40°C



Blank cards perfect for QSL cards.

A CARD For users who prioritize cost performance, we recommend the A-Card.

Orthodox and Affordable

■ 1,000 A-Cards [OR-001]

Average Rating 4.82 / 22 reviews

Retail Price 2,322 Yen

Member prices available!



1,000 Sheets


For those who do not need 1,000 sheets.

■ 100 A-Cards [OR-010]

Average Rating 4.70 / 10 reviews

Retail Price 318 Yen

Member prices available!



100 Sheets

An even more affordable version which includes a single line advertisement for CQ Ohm on the bottom 8mm of one side!

■ 1,000 A-Cards with Advertisement

Average Rating 4.94 / 16 reviews

Retail Price 1,699 Yen **Member prices available!**

[OR-022]



Advertisement



This advertisement is included.

B CARD For users who prioritize aesthetic quality, we recommend the B-Card.

High-quality printing is possible even with inkjet printers.

■ 1,000 B-Cards [OR-002]

Average Rating 4.64 / 22 reviews

Retail Price 5,219 Yen

Member prices available!



1,000 Sheets


For those who do not need 1,000 sheets.

■ 100 B-Cards [OR-011]

Average Rating 4.74 / 35 reviews

Retail Price 623 Yen

Member prices available!



100 Sheets

For users who want to try both the A and B cards.

■ Trial Set: 100 A-Cards and 100 B-Cards

Average Rating 4.80 / 15 reviews

Retail Price 880 Yen **Member prices available!**

[OR-003]



Ohm-kun Case

Retail Price 1,597 Yen

[OR-974]

Member prices available!



A cute, square case for the CW-T1 has arrived!
It fits the CW-T1 and CW-TBM1.

Size : Approx. W95 × H95 × D35(mm)

CW-T1 is listed on page 5.



OHM-GP-LOCK BOLT



Retail Price 330 Yen

[OR-555]

This product is designed for portable operation.

It is convenient for setting up a GP (Ground Plane) antenna during portable operations.

Color: White and Black

Color selection is not available.

Note: Since it is made of plastic, it is not suitable for long-term outdoor installation.



OHM-MA-BAG50 [OR-717]

Average Rating 4.80 / 5 reviews

Retail Price 5,138 Yen

Member prices available!



Antenna storage bag for keeping your

equipment neatly organized during travel or portable (field) operations.

Size : 22 × 50(cm)



GF-1000 [OR-322]

Average Rating 4.64 / 14 reviews

Retail Price 3,036 Yen

Member prices available!



For users who already own the HA-750BL and only need the reinforcing fiberglass.
The HA-750BL itself is not included.

Total Length: Approx. 90cm
Reinforces sagging antennas.



Silicone Jacket

OHM-SJ-06 [OR-757]

Average Rating 4.50 / 2 reviews

Retail Price 3,190 Yen

Member prices available!



【Compatibility】 IC-R6 / IC-R5 Color: Black

Made of silicone material that offers a moist, non-slip grip.

The upper and lower corners are thickened to provide protection against unexpected impacts.

Since it is made of silicone, it can be completely washed with water if it gets dirty.

Please remove it from the main unit and wash the cover only.



〈Caution〉

Do not leave the product in a hot environment, such as inside a vehicle, during hot weather.

When attaching the product, insert the top part of the IC-R6 unit through the opening in the front, and then fit the bottom part into place.

When removing the product, detach the bottom part first, and then pull out the top section.

The BC-194 (charger) and belt clip cannot be used while this product is attached. As there are thin sections, please exercise great care when handling the product, such as during attachment.

LCD Screen Protector

Member prices available!



The CQ OHM Original LCD Screen Protector is now available!
It features a smooth surface that protects your screen from dust and scratches.
The dry, silky texture provides excellent comfort during operation and input.

BS Black Special New Material AR Low-Reflection / Glossy Film

· IC-PW2 · FTX-1

9H/C Glossy / Clear Type Focus on Transparency / Indoor Use Specification

· IC-7300 / R8600 / 9700 / 705 · IC-7610 · FTDX10 · FTDX101
· SPF-Clear-Crystal Freesize(200mm×100mm)

9H/A Anti-Glare Type Outdoor Use Specification

· IC-7300 / R8600 / 9700 / 705 · FT-991 / FTM-400
· TS-990 · SPF-Anti-Reflection Freesize(200mm×100mm)



COLOR SHEET

An excellent item that allows you to dress up your device while protecting it from dirt and scratches!

■ CS-ICR15 Available in five muted colors.

Retail Price 1,198 Yen Member prices available!



3Parts set

You can combine and use them freely.

- ◆ CS-ICR15-TSUBAKI-RED-01
- ◆ CS-ICR15-ORIBE-GREEN-02
- ◆ CS-ICR15-FUJI-PURPLE-03
- ◆ CS-ICR15-SUSUKI-BROWN-04
- ◆ CS-ICR15-GINNEZU-SILVER-05

Note: If you use the paid application service, the installation pattern for part ③ will be applied.

■ CS-THD75 This is the luxurious Gemstone & Marble Series.

Retail Price 1,198 Yen Member prices available!



- ◆ CS-THD75-BLACK-MARBLE Black Marble Color
- ◆ CS-THD75-WHITE-MARBLE White Marble Color
- ◆ CS-THD75-GARNET-RED GARNET
- ◆ CS-THD75-EMERALD-GREEN EMERALD
- ◆ CS-THD75-SAPPHIRE-BLUE SAPPHIRE

■ CS-DJX100 Color Sheet Exclusively for the DJ-X100

Retail Price 1,997 Yen **Member prices available!**

Carbon : Retail Price 2,197 Yen **Member prices available!**



◆ CS-DJX100/W-CARBONBLACK

◆ CS-DJX100/W-MINTGREEN

◆ CS-DJX100/W-LIGHTBLUE

◆ CS-DJX100/W-NAVY

◆ CS-DJX100/W-YELLOW

Note : For the YELLOW (color), the text display will be black.

◆ CS-DJX100/W-MOCHA

◆ CS-DJX100/W-RED

Compared to an LCD protective sheet, it is more difficult to apply this product neatly. The color seal is made from a very soft material to ensure it fits the main unit. When peeling it from the backing sheet or applying it, please be careful not to stretch it and proceed "slowly" with "as little force as possible."

■ CS-ID50 Color Sheet Exclusively for the IC-50

Retail Price 1,056 Yen

Carbon : Retail Price 1,256 Yen



◆ CS-ID50-RED

◆ CS-ID50-MOCHA

◆ CS-ID50-NAVY

◆ CS-ID50-CARBONBLACK

◆ CS-ID50-CARBONSILVER

■ CS-DPS7X Color Sheet Exclusively for the DJ-DPS70 / DJ-DPS71

Retail Price 2,196 Yen **Member prices available!**

Carbon : Retail Price 2,396 Yen **Member prices available!**



◆ CS-DPS7X-AMERICAN-RETRO

◆ CS-DPS7X-DENIM

◆ CS-DPS7X-CHECK

◆ CS-DPS7X-MILITARY

◆ CS-DPS7X-CS (Carbon Silver)

◆ CS-DPS7X-CB (Carbon Black)

■ CS-FT5D Color Sheet Exclusively for the FT5D

Retail Price 605 Yen



CS-FT5D-01
BLACK/onORANGE-GRADATION



CS-FT5D-02
WHITE/onGREEN-GRADATION



CS-FT5D-03
BLACK/onBLUE-GRADATION



CS-FT5D-04
BLACK/onGOLD



CS-FT5D-05
BLACK/onSILVER



CS-FT5D-06
GREEN/onBLACK



CS-FT5D-07
BLUE/onBLACK



CS-FT5D-08
RED/onBLACK



■ CS-ID52

The Color Sheet for the ID-52 is now available!

We offer a wide variety of color options.

This excellent accessory allows you to dress up your device while protecting it from dirt and scratches.

NORMAL Retail Price 1,056 Yen **Member prices available!**



CS-ID52-P (Pink)

CS-ID52-Y (Yellow)

CS-ID52-G (Green)

CS-ID52-R (Red)

CS-ID52-B (Blue)



MILITARY Retail Price 1,056 Yen
Member prices available!




CS-ID52-GM (Green Camouflage)

CS-ID52-BM (Blue Camouflage)

CS-ID52-RM (Red Camouflage)

CARBON Retail Price 1,256 Yen
Member prices available!



CS-ID52-CB (Carbon Black)

Other Color Sheets

• MILITARY-SHEET-DRC1

RED BLUE PURPLE WHITE GREEN

• MILITARY-SHEET-P222

• MILITARY-SHEET-FT2D

CARBON

• CS-SILVER-DRC1

• CS-BLACK-818

• CS-SILVER-818

• CS-SILVER-FT2D

• CS-SILVER-P222

• CS-BLACK-DJPV1D

• CS-SILVER-DJPV1D

*Discontinued – while supplies last

*Discontinued – while supplies last

Protective Sheet & Color Seal Application Service Available!
This service is available only at the time of purchase.
Prices vary depending on the model and material.

CQ Ohm Original Goods

The hugely popular luxury ballpoint pen is back!

Premium ballpoint pen with 45th-anniversary stylus

Retail Price 300 Yen



- Pink
- Lavender
- Gray
- Black



NEW

A fantastic product that can also be used to clean radio LCD screens and eyeglasses!

Multi-purpose cloth

Retail Price 484 Yen

NEW



Two-way radio pattern
(Red/Yellow/Green/Blue/Purple)
Tricolor pattern
(6 varieties in total)

Ohm-kun Style Magnetic Sticker (for Vehicles)

Retail Price 1,837 Yen

[OR-899]

Specifications

- Size : 13.8 × 14 (cm)
- Material : Magnet



NEW

Carry your MN conversion connector cutely!

Usa-Cube [OR-882]

Retail Price 550 Yen

Specifications

- Compatible Connectors: MJ or NJ conversion connector on one side (Note: Stores one connector only)
- Material: ABS Resin (Made with 3D Printer)
- Function: Stores and secures the connector, allowing it to be carried as a keychain.
- Color Lineup: Multiple colors (Note: Color and pattern cannot be selected)
- Includes a carrying strap



CQ Ohm Original Whistle

Retail Price 666 Yen

Member prices available!



Note: Do not wipe with thinner, alcohol, or similar substances. Due to the nature of the product, there is some blurring / bleeding in the printing.


NUIKAWA-002

Ohm-kun Plush Toy002

Retail Price 1,549 Yen

Member prices available!

[OR-802]



Palm-sized Mascot

Ohm-kun Original Charm


Retail Price 777 Yen

- With a Fixed Transceiver (Blue)
- With a Portable Transceiver (Green)
- With a Handheld Transceiver (Red)




ECOBAG-BLUE [OR-388]

Retail Price 550 Yen



Can be stored compactly!



3-11-8 Sugo, Gifu-shi, Gifu 502-0914 Japan

Store Hours: 10:00—17:00 [Closed: Wednesdays and Thursdays]

Online Store (Mail Order):

Main Website: <https://www.cqcqde.com>

Other Sites: Rakuten / Amazon / Yahoo! Shopping /

Yahoo! Auctions (Yafuoku!)

SNS

YouTube	X	Instagram
LINE	Facebook	Mail magazine
CQ ohm		Search 

The specifications of the products listed in this catalog are subject to change without notice. Due to space constraints, detailed specifications and cautionary notes may not be fully listed. Please check the specifications, cautionary notes, and the latest prices on the WEB page when placing an actual order. All prices shown include tax (Tax rate: 10%). Please note that the number of reviews is as of July 2026.